


Appendix 8

Flora Quadrats



QUADRAT ER4

384431E 6430742N

Xanthorrhoea preissii/*Acacia saligna* Shrubland 1-1.5m over *Avena babata* Closed
Grassland

Condition: Degraded

Soils: Brown sand



QUADRAT (10x10m)

SPECIES	% COVER	HEIGHT (m)
<i>Xanthorrhoea preissii</i>	10	1
<i>Acacia saligna</i>	5	1.5
* <i>Avena babata</i>	80	0.3
* <i>Lagurus ovatus</i>	10	0.2
* <i>Lolium rigidum</i>	10	0.1
* <i>Euphorbia terracina</i>	5	0.3
* <i>Sonchus oleraceus</i>	2	0.3
* <i>Bromus diandrus</i>	1	0.4
<i>Lepidosperma angustatum</i>	<1	0.3
* <i>Hypochaeris glabra</i>	<1	Flat

*Introduced species

QUADRAT ER5

384455E 6430926N

Melaleuca huegelii Open Scrub 4-5m over *Bromus diandrus*/*Ehrharta longiflora*
Closed Grassland to 1m

Condition: Degraded

Soils: Brown sand



QUADRAT (10x10m)

SPECIES	% COVER	HEIGHT (m)
<i>Melaleuca huegelii</i>	50	4-5
* <i>Bromus diandrus</i>	60	0.6
* <i>Ehrharta longiflora</i>	20	0.3
* <i>Euphorbia terracina</i>	10	0.4
<i>Solanum symonii</i>	5	1.2
<i>Acacia saligna</i>	5	1.2
<i>Spyridium globulosum</i>	5	1.1
<i>Acacia rostellifera</i>	5	0.6
* <i>Euphorbia peplus</i>	1	0.1
<i>Clematis linearifolia</i>	1	Creeper
<i>Muehlenbeckia adpressa</i>	<1	Creeper

*Introduced species

QUADRAT ER6

384805E 6430865N

Acacia rostellifera Open Shrubland 0.1m (1.5-2m pre-fire) over *Avena barbata*/*Euphorbia terracina* Grassland/Herbland 0.4-1m.

Condition: Good - Degraded

Soils: Dark brown sand over limestone at about 0.5m depth



QUADRAT (10x10m)

SPECIES	% COVER	HEIGHT (m)
<i>Acacia rostellifera</i>	10	0.1
* <i>Avena barbata</i>	20	1
* <i>Euphorbia terracina</i>	20	0.4
* <i>Euphorbia peplus</i>	10	0.3
* <i>Ehrharta longiflora</i>	5	0.4
* <i>Lolium rigidum</i>	2	0.4
* <i>Crassula glomerata</i>	<1	0.1
* <i>Sonchus oleraceus</i>	<1	0.3
* <i>Fumaria capreolata</i>	<1	0.1
* <i>Vulpia myuros</i>	<1	0.1

*Introduced species