

## Appendix 11

# Flora and Vegetation Database Search Results

---



Department of  
**Environment and Conservation**

*Our environment, our future*



Your Ref:  
Our Ref: **06-0611FL**  
Enquiries: Joshua Gilovitz  
Phone: (08) 9334 0123  
Fax: (08) 9334 0278  
Email: [joshua.gilovitz@dec.wa.gov.au](mailto:joshua.gilovitz@dec.wa.gov.au)

**Aurora Environmental**  
149-151 Kensington St  
East Perth 6004

Attention: Shayne Pittaway

Dear Shayne Pittaway,

**REQUEST FOR RARE FLORA INFORMATION**

I refer to your request of 30 May 2011 for Threatened Flora information in the Boodarie area. The search was conducted within a 50km radial buffer area around the coordinate you provided.

A search was undertaken for these areas of **(1)** the Department's *Threatened (Declared Rare) Flora* database (for results, *if any*, see "DEFL" – coordinates are GDA94), **(2)** the *Western Australian Herbarium Specimen* database for priority species opportunistically collected in the area of interest (for results, *if any*, see "WAHERB"- coordinates are GDA94 – see condition number 9 in the attached 'Conditions in Respect of Supply' and **(3)**, the Department's *Declared Rare and Priority Flora List* [this list is searched using 'place names'. This list, which may also be used as a species target list, contains species that are declared rare (Conservation Code R or X for those presumed to be extinct), poorly known (Conservation Codes 1, 2 or 3), or require monitoring (Conservation Code 4) – for results, *if any*, see "DP List"]. The results are attached electronically to this email.

Attached also are the conditions under which this information has been supplied. Your attention is specifically drawn to the seventh point, which refers to the requirement to undertake field investigations for the accurate determination of rare flora occurrence at a site. *The information supplied should be regarded as an indication only of the rare flora that may be present and may be used as a target list in any surveys undertaken.*

The information provided does not preclude you from obtaining and complying with, where necessary, land clearing approvals from other agencies.

An invoice for \$300 (plus GST) to supply this information will be forwarded.

It would be appreciated if any populations of rare flora you encounter in the area could be reported to this Department to ensure their ongoing management.

If you require any further details, or wish to discuss rare flora management, please contact Dr Ken Atkins, Manager, Species and Communities Branch, on (08) 9334 0455.

Yours faithfully

Joshua Gilovitz  
.....  
for Keiran McNamara  
DIRECTOR GENERAL

7 June 2011

**Species and Communities Branch**

17 Dick Perry Ave, Technology Park, Kensington  
Phone: (08) 9334 0455 Fax: (08) 9334 0278

Locked Bag 104, Bentley Delivery Centre, Bentley, Western Australia 6983

[www.dec.wa.gov.au](http://www.dec.wa.gov.au)

# DEPARTMENT OF ENVIRONMENT AND CONSERVATION

## RARE FLORA INFORMATION

### CONDITIONS IN RESPECT OF SUPPLY OF INFORMATION

1. All requests for data to be made in writing to the Director General, Department of Environment and Conservation, Attention: Threatened Flora Database Officer, Species and Communities Branch.
2. The data supplied may not be supplied to other organisations, nor be used for any purpose other than for the project for which they have been provided, without the prior written consent of the Director General, Department of Environment and Conservation.
3. Specific locality information for Declared Rare Flora is regarded as confidential, and should be treated as such by receiving organisations. Specific locality information for DRF may not be used in public reports without the written permission of the Director General, Department of Environment and Conservation. Publicly available reports may only show generalised locations or, where necessary, show specific locations without identifying species. The Department is to be contacted for guidance on the presentation of rare flora information.
4. Note that the Department of Environment and Conservation respects the privacy of private landowners who may have rare flora on their property. Rare flora locations identified in the data as being on private property should be treated in confidence, and contact with property owners made through the Department of Environment and Conservation.
5. Receiving organisations should note that while every effort has been made to prevent errors and omissions in the data provided, they may be present. The Department of Environment and Conservation accepts no responsibility for this.
6. Receiving organisations must also recognise that the database is subject to continual updating and amendment, and such considerations should be taken into account by the user.
7. **It should be noted that the supplied data do not necessarily represent a comprehensive listing of the rare flora of the area in question. Its comprehensiveness is dependant on the amount of survey carried out within the specified area. The receiving organisation should employ a botanist, if required, to undertake a survey of the area under consideration.**
8. Acknowledgment of the Department of Environment and Conservation as source of the data is to be made in any published material. The unique reference number that is given upon the request for information should be quoted. Copies of all such publications are to be forwarded to the Department of Environment and Conservation, Attention: The Manager, Species and Communities Branch.
9. The development of the PERTH Herbarium database was not originally intended for electronic mapping (eg. GIS ArcView). The latitude and longitude coordinates for each entry are not verified prior to being databased. It is only in recent times that collections have been submitted to PERTH with GPS recorded in latitude and longitude coordinates. Therefore, be aware when using this data in ArcView that some records may not plot to the locality description given with each collection.

#### Species and Communities Branch

17 Dick Perry Ave, Technology Park, Kensington

Phone: (08) 9334 0455 Fax: (08) 9334 0278

Locked Bag 104, Bentley Delivery Centre, Bentley, Western Australia 6983

[www.dec.wa.gov.au](http://www.dec.wa.gov.au)

## THE DEPARTMENT OF ENVIRONMENT AND CONSERVATION

### DECLARED RARE AND PRIORITY FLORA LIST

for Western Australia

#### CONSERVATION CODES

R: Declared Rare Flora - Extant Taxa

**Taxa which have been adequately searched for and are deemed to be in the wild either rare, in danger of extinction, or otherwise in need of special protection, and have been gazetted as such.**

X: Declared Rare Flora - Presumed Extinct Taxa

**Taxa which have not been collected, or otherwise verified, over the past 50 years despite thorough searching, or of which all known wild populations have been destroyed more recently, and have been gazetted as such.**

1: Priority One - Poorly known Taxa

**Taxa which are known from one or a few (generally <5) populations which are under threat**, either due to small population size, or being on lands under immediate threat, e.g. road verges, urban areas, farmland, active mineral leases, etc., or the plants are under threat, e.g. from disease, grazing by feral animals, etc. May include taxa with threatened populations on protected lands. Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.

2: Priority Two - Poorly Known Taxa

**Taxa which are known from one or a few (generally <5) populations, at least some of which are not believed to be under immediate threat** (i.e. not currently endangered). Such taxa are under consideration for declaration as 'rare flora', but are in urgent need of further survey.

3: Priority Three - Poorly Known Taxa

**Taxa which are known from several populations, and the taxa are not believed to be under immediate threat** (i.e. not currently endangered), either due to the number of known populations (generally >5), or known populations being large, and either widespread or protected. Such taxa are under consideration for declaration as 'rare flora' but are in need of further survey.

4: Priority Four - Rare Taxa

**Taxa which are considered to have been adequately surveyed and which, whilst being rare (in Australia), are not currently threatened by any identifiable factors.** These taxa require monitoring every 5-10 years.

Note, the need for further survey of poorly known taxa is prioritised into the three categories depending on the perceived urgency for determining the conservation status of those taxa, as indicated by the apparent degree of threat to the taxa based on the current information.

#### Species and Communities Branch

17 Dick Perry Ave, Technology Park, Kensington

Phone: (08) 9334 0455 Fax: (08) 9334 0278

Locked Bag 104, Bentley Delivery Centre, Bentley, Western Australia 6983

[www.dec.wa.gov.au](http://www.dec.wa.gov.au)

**ABBREVIATIONS USED IN THREATENED FLORA DATABASE PRINTOUTS**

**VESTING**

AAP Aboriginal Planning Authority  
 AGR Chief Executive, Dep. of Agriculture  
 ALT Aboriginal Land Trust  
 APB Agricultural Protection Board of WA  
 BGP Botanical Gardens & Parks Authority  
 BSA Boy Scouts Association  
 CC Conservation Commission – NPNCA - LFC  
 CGT Crown Grant in Trust  
 COM Commonwealth of Australia  
 CRO Crown Freehold-Govt Ownership  
 CRW Crown  
 DAG Dep. of Agriculture  
 DOW Dep. of Water  
 DPI Dep. of Planning & Infrastructure  
 EXD Exec Direc CALM  
 FES Fire and Emergency Services Aust.  
 HOW Dep. of Housing/State Housing Commission  
 ILD Industrial Lands Develop. Auth  
 LAC LandCorp  
 MAG Minister for Agriculture  
 MBC Metropolitan Cemeteries Board  
 MED Ministry of Education  
 MHE Minister for Health  
 MIN Minister for Mines  
 MPL Ministry for Planning  
 MPR Minister for Prisons  
 MRD Main Roads WA  
 MTR Minister for Transport  
 MWA Minister for Water Resources  
 MWO Minister for Works  
 NAT Natural Trust of Australia WA  
 NON Not Vested  
 PLB Pastoral Lands Board  
 PRI Private/Freehold  
 RAI Public Transport Authority  
 REL Religious Organisation  
 SEC Synergy (ex Western Power)  
 SHI Shire  
 SPC State Planning Commission  
 SWA State of Western Australia  
 TEL Telstra  
 UNK Unknown  
 WAT Water Corporation  
 WEL Minister Community Welfare  
 WRC Water & Rivers Commission  
 XPL Ex-Pastoral Lease

**PURPOSES**

ABR Aboriginal Reserve  
 ACC Access Track  
 AER Aerodrome  
 AIR Airport  
 ARS Agricultural Research Station  
 BAP Baptist Union of WA  
 CAM Camping  
 CAR Caravan park  
 CEM Cemetery  
 CFA Conservation of Fauna  
 CFF Conservation Of Flora & Fauna  
 CFL Conservation of Flora  
 CHU Church  
 CPK Car Park  
 CMN Communications  
 COM Common

CON Conservation Park  
 DEF Defence  
 DRA Drain  
 EDE Educational Endowment  
 EDU Educational purposes UWA  
 ENE Enjoyment of Natural Environ.  
 EXC Excepted from sale  
 EXL Exploration Lease  
 EXP Experimental Farm  
 FIR Firing Range  
 FOR State Forest  
 GE General Lease  
 GHA Grain Handling  
 GOL Golf  
 GRA Gravel Pit  
 GVT Government Requirements  
 HAR Harbour Purposes  
 HEP Heritage Purposes  
 HER Heritage trail  
 HOS Hospital  
 KEN Kennels  
 LPR Landscape Protection  
 MIN Mining lease  
 MUN Municipal Purposes  
 NPK National Park  
 NRE Nature Reserve  
 OTH Other  
 PAR Parkland (& Recreation)  
 PAS Pastoral lease  
 PFF Protection of Flora & Fauna  
 PFL Protection of Flora  
 PIC Picnic ground  
 PLA Plantation  
 POS Public Open Space  
 PRS Prison site  
 PUR Purchase Lease  
 PUT Public Utility  
 QUA Quarry  
 RAD Radio Station  
 RAC Racecourse  
 REC Recreation  
 REH Rehabilitation/Re-establish Native Plants  
 RRE Railway Reserve  
 RUB Rubbish  
 SAN Sand  
 SCH School-site  
 SET Settlers requirements  
 SHI Shire Requirements  
 SHO Showgrounds  
 SNN Sanitary  
 SOI Soil Conservation  
 STO Stopping place  
 TIM Timber  
 TOU Tourism  
 TOW Town-site  
 TRA Training Ground  
 TRI Trig station  
 UCL Unallocated Crown Land  
 UNK Unknown  
 VER Road Verge  
 VPF Vermin Proof Fence  
 WAT Water  
 WLS Wildlife Sanctuary  
 WOO Firewood

**DEPARTMENT OF ENVIRONMENT AND CONSERVATION  
DECLARED RARE AND PRIORITY FLORA LIST  
16 September 2010**

SPECIES / TAXON	CONS CODE	DEC REGION	DISTRIBUTION	FLOWER PERIOD
<i>Acacia glaucocaesia</i>	3	P	Karratha, Port Hedland, Mardie, Roebourne, De Grey	Jul-Sep
<i>Euphorbia clementii</i>	2	P	Port Hedland area, Yarrie	Jun
<i>Gomphrena cucullata</i>	2	K,P	Derby, King Sound, Pt Hedland, Lennard River	Feb-Apr
<i>Gomphrena pusilla</i>	2	K,P	Dampier Peninsula, Pt Hedland	Mar- Apr,Jun
<i>Gymnanthera cunninghamii</i>	3	MW,P,*	Minilya, Dampier Archipelago, Boodarie, 80 Mile Beach, NT, Qld	Apr,Dec
<i>Heliotropium muticum</i>	1	P	Port Headland, Pippingarra Stn	Aug
<i>Ptilotus appendiculatus</i> var. <i>minor</i>	1	P	Port Hedland, Boodardee	
<i>Tephrosia andrewii</i>	1	P,K	Port Hedland-Broome	Apr,Oct

Total No. of Records = 4

Species Name	Cons. Code	Status	Pop ID	No. Plants	Latitude	Longitude	Purpose	Vest
Abutilon pritzelianum	1		2	50	20^42'33.4"	118^16'58.6"	Pastoral lease	PLB
Atriplex eremitis	1		1		20^09'44.1"	118^58'25.8"	Pastoral lease	PLB
Gomphrena cucullata	2		1		20^31'41.0"	118^04'40.0"	Stock Route	UNK
Gymnanthera cunninghamii	3		3	30	20^20'16.6"	118^31'52.3"	Un-allocated Crown land	NON

WAHERB SPECIMEN DATABASE  
GENERAL ENQUIRY

*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: A.A. Mitchell PRP 1932 Date: 27 08 1997 ( PERTH 05540798 )  
LOCALITY Old main Port Hedland, Wittenoorn Road, 16 km WNW of Wallarenya Station Homestead near Port Hedland, WA  
LAT 20 Deg 42 Min 58.000 Sec S LONG 118 Deg 41 Min 5.000 Sec E  
Tall grey spreading shrub with yellow flowers, growing up to 2 m tall. Stony undulating shallow soiled granitic plain. Hard hummock grassland.  
Previous det.: *Abutilon* sp.  
Frequency:common on road side.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: S. Hunger & N. Kilian 3784 Date: 20 09 1995 ( PERTH 06735991 )  
LOCALITY North West Coastal Highway, ca 35-40 km ENE of Whim Creek WA  
LAT 20 Deg 47 Min Sec S LONG 118 Deg 10 Min Sec E  
Shrub up to ca 2 m high, flowers large, petals yellow. Roadsides.  
Previous det.: *Abutilon* sp.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: E. Carroll 41 Date: 20 08 2009 ( PERTH 08156360 )  
LOCALITY Turner River crossing on the Great Northern Highway, c. 40 km SSW of Port Hedland WA  
LAT 20 Deg 31 Min 29.200 Sec S LONG 118 Deg 28 Min 26.700 Sec E  
Shrub to 0.6 m with male flowers. Sandplain with orange brown sandy loam.  
*Eragrostis eriopoda* tussock grassland with *Aristida hygrometrica*, *Corchorus incanus*, *Triumfetta chaetocarpa* & *Aerva javanica*.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: E. Carroll 39 Date: 20 08 2009 ( PERTH 08156344 )  
LOCALITY Turner River crossing on the Great Northern Highway, c. 40 km SSW of Port Hedland WA  
LAT 20 Deg 31 Min 28.300 Sec S LONG 118 Deg 28 Min 27.800 Sec E  
Shrub to 0.6 m with flowers and fruit. Sandplain with orange brown sandy loam.  
*Eragrostis eriopoda* tussock grassland with *Aristida hygrometrica*, *Corchorus incanus*, *Triumfetta chaetocarpa* & *Aerva javanica*.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: E. Carroll 37 Date: 20 08 2009 ( PERTH 08156336 )  
LOCALITY Turner River crossing on the Great Northern Highway, c. 40 km SSW of Port Hedland WA  
LAT 20 Deg 31 Min 34.400 Sec S LONG 118 Deg 28 Min 29.000 Sec E  
Shrub to 0.7 m with flowers and fruit. Sandplain with orange brown sandy loam.  
*Eragrostis eriopoda* tussock grassland with *Aristida hygrometrica*, *Corchorus incanus*, *Triumfetta chaetocarpa* & *Aerva javanica*.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1

Coll.: E. Carroll 30 B Date: 20 08 2009 ( PERTH 08156328 )  
LOCALITY Turner River crossing on the Great Northern Highway, c. 40 km SSW of Port Hedland WA  
LAT 20 Deg 31 Min 29.900 Sec S LONG 118 Deg 28 Min 27.600 Sec E  
Shrub to 0.6 m with flowers and fruit. Sandplain with orange brown sandy loam.  
*Eragrostis eriopoda* tussock grassland with *Aristida hygrometrica*, *Corchorus incanus*, *Triumfetta chaetocarpa* & *Aerva javanica*.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: E. Carroll 30 A Date: 20 08 2009 ( PERTH 08156301 )  
LOCALITY Turner River crossing on the Great Northern Highway, c. 40 km SSW of Port Hedland WA  
LAT 20 Deg 31 Min 29.900 Sec S LONG 118 Deg 28 Min 27.600 Sec E  
Shrub to 0.6 m with male flowers. Sandplain with orange brown sandy loam.  
*Eragrostis eriopoda* tussock grassland with *Aristida hygrometrica*, *Corchorus incanus*, *Triumfetta chaetocarpa* & *Aerva javanica*.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: E. Carroll 30 A Date: 20 08 2009 ( PERTH 08156409 )  
LOCALITY Turner River crossing on the Great Northern Highway, c. 40 km SSW of Port Hedland WA  
LAT 20 Deg 31 Min 29.900 Sec S LONG 118 Deg 28 Min 27.600 Sec E  
Shrub to 0.6 m with male flowers. Sandplain with orange brown sandy loam.  
*Eragrostis eriopoda* tussock grassland with *Aristida hygrometrica*, *Corchorus incanus*, *Triumfetta chaetocarpa* & *Aerva javanica*.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: E. Carroll 29 Date: 20 08 2009 ( PERTH 08156298 )  
LOCALITY Turner River crossing on the Great Northern Highway, c. 40 km SSW of Port Hedland WA  
LAT 20 Deg 31 Min 30.200 Sec S LONG 118 Deg 28 Min 26.600 Sec E  
Shrub to 1.5 m with male flowers. Sandplain with orange brown sandy loam.  
*Eragrostis eriopoda* tussock grassland with *Aristida hygrometrica*, *Corchorus incanus*, *Triumfetta chaetocarpa* & *Aerva javanica*.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: E. Carroll 40 Date: 20 08 2009 ( PERTH 08156352 )  
LOCALITY Turner River crossing on the Great Northern Highway, c. 40 km SSW of Port Hedland WA  
LAT 20 Deg 31 Min 34.400 Sec S LONG 118 Deg 28 Min 29.000 Sec E  
Shrub to 0.6 m with flowers and fruit. Sandplain with orange brown sandy loam.  
*Eragrostis eriopoda* tussock grassland with *Aristida hygrometrica*, *Corchorus incanus*, *Triumfetta chaetocarpa* & *Aerva javanica*.  
*Abutilon pritzelianum*  
(Domin) R.M.Barker MS (Malvaceae)  
CONSERVATION STATUS:1  
Coll.: E. Carroll 29 Date: 20 08 2009 ( PERTH 08156417 )  
LOCALITY Turner River crossing on the Great Northern Highway, c. 40 km SSW of Port Hedland WA



LAT 20 Deg 31 Min 30.200 Sec S LONG 118 Deg 28 Min 26.600 Sec E

Shrub to 1.5 m with male flowers. Sandplain with orange brown sandy loam.

Eragrostis eriopoda tussock grassland with Aristida hygrometrica, Corchorus incanus, Triumfetta chaetocarpa & Aerva javanica.

Abutilon pritzelianum

(Domin) R.M.Barker MS (Malvaceae)

CONSERVATION STATUS:1

Coll.: J.E. Wajon 662 Date: 15 06 2003 ( PERTH 07154461 )

LOCALITY 1 km W of Yule River, North West Coastal Highway, Port Hedland WA

LAT 20 Deg 42 Min 33.400 Sec S LONG 118 Deg 16 Min 58.600 Sec E

Erect, open, perennial shrub 1.75 m high x 1.6 m wide. Flowers yellow. Floodplain. Dry, red clay. Low shrubland.

Percentage of population in bud 10%, flowering 90%.

Previous det.: Abutilon pritzelianum (Domin)

R.M.Barker

Frequency:over 50 plants.

Acacia glaucocaesia

Domin (Fabaceae)

CONSERVATION STATUS:3

Coll.: B.R. Maslin 8416 Date: 05 07 2003 ( PERTH 06492576 )

LOCALITY 0.5 km SW of West Peawah River Crossing on North West Coastal Highway (26 km NE of Whim Creek along highway) WA

LAT 20 Deg 50 Min 58.200 Sec S LONG 118 Deg 4 Min 1.800 Sec E

Diffuse shrub 2.5 m tall x 4 m wide. Branches and branchlets pruinose. Spiny stipules present and absent at different nodes. Phyllodes glaucous, thin textured, midrib quite evident. Racemes short and determinate (some with secondary phyllodes developed on lower peduncles. Heads light golden.

Clayey loam. BRM 8415 grew nearby (not pruinose) with BRM 8413 and 8414 on opposite side of highway.

Frequency:large population of this species here.

Acacia glaucocaesia

Domin (Fabaceae)

CONSERVATION STATUS:3

Coll.: B.R. Maslin 8415 Date: 05 07 2003 ( PERTH 06492568 )

LOCALITY 0.5 km SW of West Peawah River Crossing on North West Coastal Highway (26 km NE of Whim Creek along highway) WA

LAT 20 Deg 50 Min 58.200 Sec S LONG 118 Deg 4 Min 1.800 Sec E

Shrub 1.5-2 m tall, crown rather dense. Branchlets lime green (not pruinose). Phyllodes thin textured, dark green (not pruinose).

BRM 8416 grew nearby with BRM 8413 and 8414 on opposite side of highway.

Frequency:a single plant of this non-pruinose form within a large population of

normal A. glaucocaesia.

Acacia glaucocaesia

Domin (Fabaceae)

CONSERVATION STATUS:3

Coll.: B.R. Maslin 8413 Date: 05 07 2003 ( PERTH 06492533 )

LOCALITY 0.5 km SW of West Peawah River Crossing on North West Coastal Highway (26 km NE of Whim Creek along highway) WA

LAT 20 Deg 50 Min 58.200 Sec S LONG 118 Deg 4 Min 1.800 Sec E

Small erect tree 4 m tall. Bark grey and finely fissured on main stem, upper branches and branchlets smooth and pruinose. No stipular spines present.

Phyllodes more or less glaucous, pruinose, thin-textured.

Inflorescences mostly racemose (some with secondary phyllodes developed on lowermost peduncles), some simple. Heads (few at anthesis) light golden. Clay loam. Growing close to BRK 8414 with BRM 8415 and 8416 on opposite side of highway.

Frequency:large population of this species here.

Acacia glaucocaesia

Domin (Fabaceae)

CONSERVATION STATUS:3

Coll.: B.R. Maslin 8417 Date: 05 07 2003 ( PERTH 06492584 )

LOCALITY 0.5 km SW of West Peawah River crossing on North West Coastal Highway (26 km NE of Whim Creek along highway) WA

LAT 20 Deg 50 Min 58.200 Sec S LONG 118 Deg 4 Min 1.800 Sec E

Shrub. Phyllodes thin, rather glaucous, lightly pruinose. Branchlets pruinose. Stipular spines present. Inflorescences simple and leafy racemes. Heads light golden. With BRM8415 (non-pruinose A. glaucocaesia).

Acacia glaucocaesia

Domin (Fabaceae)

CONSERVATION STATUS:3

Coll.: B.R. Maslin 8414 Date: 05 07 2003 ( PERTH 06492541 )

LOCALITY 0.5 km SW of West Peawah River Crossing on North West Coastal Highway (26 km NE of Whim Creek along highway) WA

LAT 20 Deg 50 Min 58.200 Sec S LONG 118 Deg 4 Min 1.800 Sec E

Shrub 2 m tall. Stems pruinose to base. Spiny stipules present or absent. Branchlets pruinose. Phyllodes rather glaucous, thin. Clay loam.

Growing near BRM 8413 with BRM 8415 and 8416 on opposite side of highway.

Frequency:large population of this species here.

Atriplex eremitis

Cranfield (Chenopodiaceae)

CONSERVATION STATUS:1 TYPE STATUS: HOL

Coll.: A.A. Mitchell PRP 1940 Date: 28 08 1997 ( PERTH 04867610 )

LOCALITY Site I727, ca 3 km E of Wattle Well, De Grey Station, Port Hedland WA

LAT 20 Deg 9 Min 49.000 Sec S LONG 118 Deg 58 Min 21.000 Sec E

Bushy sparse shrub with grey foliage growing up to 0.3 m tall. Semi saline plain in a saline patch.

Tussock grassland of Eragrostis xerophila, Cenchrus ciliaris and Eulalia auria and saltbushes.

Previous det.: Atriplex sp. De Grey (A.A. Mitchell PRP1940)

Frequency:common.

Gomphrena pusilla

Benth. (Amaranthaceae)

CONSERVATION STATUS:2

Coll.: W.V. Fitzgerald 29 Date: 04 1905 ( PERTH 05330645 )

LOCALITY Port Hedland WA

LAT 20 Deg 19 Min 0.000 Sec S LONG 118 Deg 36 Min 0.000 Sec E

Previous det.: Gomphrena alla

Gomphrena pusilla

Benth. (Amaranthaceae)

CONSERVATION STATUS:2

Coll.: W.V. Fitzgerald 29 Date: 04 1905 ( PERTH 05330637 )

LOCALITY [Port Hedland] WA

LAT 20 Deg 19 Min Sec S LONG 118 Deg 36 Min Sec E

Previous det.: Gomphrena sp.

Gomphrena pusilla

Benth. (Amaranthaceae)

CONSERVATION STATUS:2  
 Coll.: B. Carr B3 Date: 29 03 1981 ( PERTH 206393 )  
 LOCALITY Finucane Island WA  
 LAT 20 Deg 18 Min Sec S LONG 118 Deg 34  
 Min Sec E  
 Semi-prostrate herb 10 - 20 cm high with white and purple  
 flowers. Growing in limestone.  
 Previous det.: Gomphrena conferta Benth.  
 Goodenia nuda  
 E.Pritz. (Goodeniaceae)  
 CONSERVATION STATUS:4  
 Coll.: E. Carroll 25 Date: 27 07 2009 ( PERTH 08215529 )  
 LOCALITY ca 6.5 km SW of Port Hedland WA  
 LAT 20 Deg 22 Min 16.000 Sec S LONG 118 Deg 30  
 Min 59.000 Sec E  
 Erect, spreading herb 0.2 m high. Flowers yellow.  
 Plain. Brown - orange loam.  
 Low shrubland, grassland. Acacia tumida var. pilbarensis  
 and Acacia colei var. colei shrubland over a low Acacia  
 stellaticeps shrubland over a Triodia epactia  
 hummock grassland / low Acacia stellaticeps shrubland  
 over a Triodia epactia hummock grassland mosaic.  
 ENV BIM 01  
 Frequency:2-5 plants.  
 Goodenia nuda  
 E.Pritz. (Goodeniaceae)  
 CONSERVATION STATUS:4  
 Coll.: T. Edwards 33 Date: 27 07 2009 ( PERTH  
 08215537 )  
 LOCALITY ca 19.5 km S of Port Hedland WA  
 LAT 20 Deg 29 Min 11.000 Sec S LONG 118 Deg 36  
 Min 59.000 Sec E  
 Erect, spreading herb 0.2 m high. Flowers yellow.  
 Plain. Brown - orange loam.  
 Low trees, tall - low shrubland, grassland. Low open  
 Eucalyptus victrix, Corymbia hamersleyana and Corymbia  
 flavescens woodland over an open Acacia  
 colei var. colei shrubland over a low open Acacia  
 stellaticeps and Pluchea tetranthera shrubland over a  
 Triodia epactia hummock grassland.  
 ENV. OHT 07  
 Frequency:6-20 plants.  
 Goodenia nuda  
 E.Pritz. (Goodeniaceae)  
 CONSERVATION STATUS:4  
 Coll.: T. Edwards 35 Date: 27 07 2009 ( PERTH  
 08215545 )  
 LOCALITY ca 8 km SW of Port Hedland WA  
 LAT 20 Deg 22 Min 5.000 Sec S LONG 118 Deg 31  
 Min 22.000 Sec E  
 Erect, spreading herb 0.2 m high. Flowers yellow.  
 Plain. Orange - brown loam.  
 Low shrubland, grassland. Low Acacia stellaticeps  
 shrublands over Triodia epactia and Triodia secunda  
 hummock grasslands, Triodia epactia and Triodia  
 secunda hummock grasslands mosaic. ENV  
 OHT 15  
 Frequency:2-5 plants.  
 Gymnanthera cunninghamii  
 (Benth.) P.I.Forst. (Apocynaceae)  
 CONSERVATION STATUS:3  
 Coll.: A.A. Mitchell PRP 853 Date: 20 10 1995 ( PERTH  
 04899717 )  
 LOCALITY About 1 km W of Boodarie Landing and  
 about 12 km N [NNE] of Boodarie Homestead WA  
 LAT 20 Deg 20 Min 32.000 Sec S LONG 118 Deg 31  
 Min 12.000 Sec E  
 Upright, spindly, perennial shrub growing up to 1 m tall.  
 Limestone rise of Bossut formation in very deep (0.5 m)  
 solution pockets.  
 Triodia pungens hummock grassland.  
 Previous det.: Gymnanthera cunninghamii  
 (Benth.)P.I.Forst.  
 Frequency:rare, population of 100 seen, none elsewhere.

Gymnanthera cunninghamii  
 (Benth.) P.I.Forst. (Apocynaceae)  
 CONSERVATION STATUS:3  
 Coll.: A.A. Mitchell PRP 1909 Date: 23 08 1997 ( )  
 PERTH 05213495 )  
 LOCALITY Grey [Gray] Street, 1.3 km N of main road,  
 between Port Hedland and S Hedland, WA  
 LAT 20 Deg 19 Min 0.000 Sec S LONG 118 Deg 36  
 Min Sec E  
 Upright shrub with pendulous foliage and milky sap  
 growing up to 1.5 m tall.  
 Base of low limestone ridge of Bousset Formation and  
 above mangrove mud flats. Hummock grassland of  
 Triodia epactia.  
 Abundance: 2 populations seen in Pt Hedland area of ca 20  
 plants. Also seen at De grey behind calcrete dunes of ca 6  
 very small populations.  
 Previous det.: Gymnanthera cunninghamii (Benth.)  
 P.I.Forst.  
 Heliotropium muticum  
 Domin (Boraginaceae)  
 CONSERVATION STATUS:1  
 Coll.: A.A. Mitchell PRP 1949 Date: 30 08 1997 ( )  
 PERTH 05687098 )  
 LOCALITY Site I733, near Higgins Well, Pippingarra  
 Station near Port Hedland, WA  
 LAT 20 Deg 26 Min 29.000 Sec S LONG 118 Deg 40  
 Min 27.000 Sec E  
 Open, spreading shrub with white flowers with very short  
 but stiff, spiny hairs, growing up to 0.3 m tall. Flat  
 plain of granite origin.  
 Hard hummock grassland of Triodia sp. `indee' with an  
 overstorey of Acacia pyrifolia.  
 Previous det.: Heliotropium sp.  
 Frequency:rare.  
 Heliotropium muticum  
 Domin (Boraginaceae)  
 CONSERVATION STATUS:1  
 Coll.: C. Sgherza 56 Date: 23 07 2009 ( PERTH  
 08215502 )  
 LOCALITY ca 19 km S of Port Hedland WA  
 LAT 20 Deg 29 Min 14.000 Sec S LONG 118 Deg 38  
 Min 8.000 Sec E  
 Spreading herb .1 m high. Plain. Brown loam.  
 Low shrubland, grassland. Acacia tumida var. pilbarensis  
 and Acacia colei var.  
 colei shrubland over a low Acacia stellaticeps shrubland  
 over a Triodia epactia hummock grassland / low Acacia  
 stellaticeps shrubland over a Triodia epactia  
 hummock grassland mosaic. ENV OHCS 14  
 Frequency:1-3 plants.  
 Heliotropium muticum  
 Domin (Boraginaceae)  
 CONSERVATION STATUS:1  
 Coll.: A.A. Mitchell PRP 1919 Date: 26 08 1997 ( )  
 PERTH 05219787 )  
 LOCALITY Site I751, 11.5 km NE of old Tabba Tabba  
 Station Homestead, Port Hedland, WA  
 LAT 20 Deg 43 Min 54.000 Sec S LONG 118 Deg 56  
 Min 47.000 Sec E  
 Low shrub with white flowers growing up to 0.2 m tall.  
 Almost flat calcareous plain with quartz strew and formed  
 from granite.  
 Hard hummock grassland of this species.  
 Previous det.: Heliotropium sp.  
 Frequency:rare.  
 Heliotropium muticum  
 Domin (Boraginaceae)  
 CONSERVATION STATUS:1  
 Coll.: C. Sgherza 55 Date: 23 07 2009 ( PERTH  
 08215510 )  
 LOCALITY ca 19 km S of Port Hedland WA  
 LAT 20 Deg 28 Min 43.000 Sec S LONG 118 Deg 38  
 Min 6.000 Sec E

Spreading herb 0.1 m high. Plain. Brown - orange loam. Low shrubland, grassland. *Acacia tumida* var. *pilbarensis* and *Acacia colei* var. *colei* shrubland over a low *Acacia stellaticeps* shrubland over a *Triodia epactia* hummock grassland / low *Acacia stellaticeps* shrubland over a *Triodia epactia* hummock grassland mosaic. ENV. OHCS 10  
Frequency: 2-5 plants.  
*Polymeria distigma*  
Benth. (Convolvulaceae)  
CONSERVATION STATUS: 3  
Coll.: G. Byrne 3519 Date: 02 08 2008 ( PERTH 08096864 )  
LOCALITY 2.9 km N of the junction of North West Coastal Highway and Great Northern Highway WA  
LAT 20 Deg 32 Min 51.300 Sec S LONG 118 Deg 27 Min 2.700 Sec E  
A prostrate herb with runners to 1m long with some erect stems 10cm long. In flower and bud. Cleistogamous flowers present 15-20mm below the soil surface. Flowers solitary in leaf axils. Corolla pale pink. Brown sand on a plain on the edge of a disturbed area. Low shrubland with annual herbs and grasses. 100% in flower and bud.  
Frequency: 2-6 plants.  
*Pterocaulon* sp. A Kimberley Flora (B.J. Carter 599)  
PN (Asteraceae)  
CONSERVATION STATUS: 3  
Coll.: T. Edwards QR 26.03 Date: 07 05 2008 ( PERTH 08065985 )  
LOCALITY W of Wedgefield Industrial area, Port Hedland WA  
LAT 20 Deg 35 Min 30.300 Sec S LONG 118 Deg 54 Min 36.600 Sec E  
Shrub 0.1 m high. Flowers purple blue. Orange sand loam. Old burn. Low shrubland - grassland. *Acacia stellaticeps*, *Pluchea tetranthera* low shrubland over *Triodia secunda*, *Triodia epactia* and *Triodia schinzii* hummock grassland over *Eriachne obtusa*, *Aristida holathera* var. *latifolia*, *Chrysopogon fallax* and *Digitaria brownii* open tussock grassland.  
Frequency: 2-5 plants.  
*Pterocaulon* sp. A Kimberley Flora (B.J. Carter 599)  
PN (Asteraceae)  
CONSERVATION STATUS: 3  
Coll.: T. Edwards QR 33.02 Date: 09 05 2008 ( PERTH 08065977 )  
LOCALITY 2 km N of Boodarie Plant, 4 km W of Wedgefield Industrial area, South Hedland WA  
LAT 20 Deg 36 Min 49.200 Sec S LONG 118 Deg 51 Min 32.700 Sec E  
Shrub 0.2 m high. Flowers purple-blue. Orange sand loam. Old burn. Low shrubland, grassland. *Acacia stellaticeps* low shrubland over *Triodia secunda*, *Triodia epactia* hummock grassland over *Eulalia aurea*, *Chrysopogon fallax*, *Aristida holathera* var. *latifolia* and *Eriachne obtusa* open tussock grassland.  
Frequency: one only.  
*Ptilotus appendiculatus*  
var. *minor* Benl (Amaranthaceae)  
CONSERVATION STATUS: 1 TYPE STATUS: HOL  
Coll.: S.L. Everist 9195 Date: 09 09 1969 ( PERTH 03461343 )  
LOCALITY Boodardee [Boodarie], c. 15 miles [24 km] W of Port Hedland WA  
LAT 20 Deg 24 Min 30.000 Sec S LONG 118 Deg 27 Min 54.000 Sec E  
Herb or subshrub with numerous branched, prostrate stems forming close mats on ground surface. Leaves grey-green. Flowers white to pale ivory coloured. In red-brown alluvial sand on old floodplain. Between distributaries of Turner River.  
Previous det.: *Ptilotus obovatus*

*Tephrosia rosea*  
var. *venulosa* Pedley MS (Fabaceae)  
CONSERVATION STATUS: 1  
Coll.: R. Story 8206 Date: 04 09 1976 ( PERTH 02927233 )  
LOCALITY Finucane Island WA  
LAT 20 Deg 17 Min 53.000 Sec S LONG 118 Deg 33 Min 24.000 Sec E  
20 cm high, straggly, silvery tomentose, mauve flowers maturing unevenly. Red sand dune. Grass and shrublets.  
Previous det.: *Tephrosia* sp.  
*Tephrosia rosea*  
var. *venulosa* Pedley MS (Fabaceae)  
CONSERVATION STATUS: 1  
Coll.: G. Craig 269 Date: 15 07 1981 ( PERTH 02926393 )  
LOCALITY Finucane Island WA  
LAT 20 Deg 17 Min 53.000 Sec S LONG 118 Deg 33 Min 24.000 Sec E  
Much branching tomentose shrub, 0.5 m high. Leaves grey-green hirsute underneath more or less green minutely pubescent on upperside. Flowers crimson. Yellow sand. *T. rosea* var. *b.* (coll. no. 270).  
Previous det.: *Tephrosia rosea* Benth.  
*Tephrosia rosea*  
var. *venulosa* Pedley MS (Fabaceae)  
CONSERVATION STATUS: 1  
Coll.: C. Sgherza 91 Date: 29 01 2010 ( PERTH 08215766 )  
LOCALITY Ca 5 km NW of Port Hedland WA  
LAT 20 Deg 18 Min 19.000 Sec S LONG 118 Deg 31 Min 54.000 Sec E  
Erect shrub to 0.4 m. Sand plain with red-brown sandy loam soils. Low shrubland of *Tephrosia rosea* var. *venulosa* over grassland of *Cenchrus ciliaris*.  
Frequency: 300 individuals.  
*Tephrosia rosea*  
var. *venulosa* Pedley MS (Fabaceae)  
CONSERVATION STATUS: 1  
Coll.: T. Edwards 54 Date: 24 04 2009 ( PERTH 08215731 )  
LOCALITY Ca 6 km S of Port Hedland WA  
LAT 20 Deg 22 Min 12.000 Sec S LONG 118 Deg 33 Min 42.000 Sec E  
Erect shrub to 0.4 m. Sand plain with orange-brown sandy loam soils. Open shrubland of *Acacia stellaticeps* and *A. ampliceps* over scattered hummock grasses of *Triodia schinzii*, *T. secunda* and *T. epactia* over scattered tussock grasses of *Eriachne obtusa*, *Aristida contorta* and *\*Cenchrus ciliaris*.  
Frequency: 2-5 plants.  
*Tephrosia rosea*  
var. *venulosa* Pedley MS (Fabaceae)  
CONSERVATION STATUS: 1  
Coll.: T. Edwards 55 Date: 24 04 2009 ( PERTH 08215758 )  
LOCALITY Ca 6 km S of Port Hedland WA  
LAT 20 Deg 22 Min 20.000 Sec S LONG 118 Deg 33 Min 56.000 Sec E  
Erect shrub to 0.4 m. Sand plain with orange-brown sandy loam soils. Open shrubland of *Acacia stellaticeps* and *A. ampliceps* over scattered hummock grasses of *Triodia schinzii*, *T. secunda* and *T. epactia* over scattered tussock grasses of *Eriachne obtusa*, *Aristida contorta* and *Cenchrus ciliaris*.  
Frequency: 6-20 plants.  
*Tephrosia rosea*  
var. *venulosa* Pedley MS (Fabaceae)  
CONSERVATION STATUS: 1  
Coll.: C. Sgherza 93 Date: 29 01 2010 ( PERTH 08215774 )  
LOCALITY Ca 8 km SW of Port Hedland WA

LAT 20 Deg 24 Min 12.000 Sec S LONG 118 Deg 35 Min 16.000 Sec E  
Erect shrub to 0.6 m. Sand plain with red-brown sandy loam soils. Low shrubland of *Acacia stellaticeps* over grassland of *Triodia* sp. over *Cenchrus ciliaris*.

Frequency:10 individuals.

*Tephrosia rosea*

var. *venulosa* Pedley MS (Fabaceae)

CONSERVATION STATUS:1

Coll.: M. Love 16 Date: 28 07 2009 ( PERTH 08216185 )

LOCALITY ca 6 km SW of Port Hedland WA

LAT 20 Deg 21 Min 45.000 Sec S LONG 118 Deg 32 Min 58.000 Sec E

Erect shrub 0.4 m high. Flowers red. Plain. Brown - orange loam. Grassland. *Triodia secunda*, *Triodia epactia* hummock grassland.

ENV PH 12

Frequency:6-20 plants.

*Tephrosia rosea*

var. *venulosa* Pedley MS (Fabaceae)

CONSERVATION STATUS:1

Coll.: C. Sgherza 35 Date: 21 07 2009 ( PERTH 08216096 )

LOCALITY ca 5.5 km S of Port Hedland WA

LAT 20 Deg 21 Min 43.000 Sec S LONG 118 Deg 35 Min 34.000 Sec E

Erect shrub 0.4 m high. Flowers red - purple. Plain. Brown - orange loam.

Low shrubland, grassland. *Acacia colei* var. *colei* scattered tall shrubs over *Acacia stellaticeps* low open shrubland over *Triodia epactia* hummock grassland

over *Eriachne obtusa*, *Panicum decompositum* var.

*decompositum* very open tussock grassland over an open hermland of mixed species.

ENV. CS 76

Frequency:6-2 plants.



Australian Government

Department of Sustainability, Environment,  
Water, Population and Communities

# EPBC Act Protected Matters Report: Coordinates

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected.

Information on the coverage of this report and qualifications on data supporting this report are contained in the caveat at the end of the report.

Information about the EPBC Act including significance guidelines, forms and application process details can be found at <http://www.environment.gov.au/epbc/assessmentsapprovals/index.html>

**Report created: 18/05/11 14:49:41**



## [Summary](#)

## [Details](#)


[Matters of NES](#)

[Other matters protected by  
the EPBC Act](#)

[Extra Information](#)

## [Caveat](#)

## [Acknowledgements](#)



This map may contain data which are  
©Commonwealth of Australia (Geoscience  
Australia), ©PSMA 2010

[Coordinates](#)

Buffer: 5.0Km

# Summary

## Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are proposing to undertake an activity that may have a significant impact on one or more matters of national environmental significance then you should consider the Administrative Guidelines on Significance - see <http://www.environment.gov.au/epbc/assessmentsapprovals/guidelines/index.html>.

<a href="#">World Heritage Properties:</a>	None
<a href="#">National Heritage Places:</a>	None
<a href="#">Wetlands of International Significance (Ramsar Wetlands):</a>	None
<a href="#">Great Barrier Reef Marine Park:</a>	None
<a href="#">Commonwealth Marine Areas:</a>	None
<a href="#">Threatened Ecological Communities:</a>	None
<a href="#">Threatened Species:</a>	3
<a href="#">Migratory Species:</a>	10

## Other Matters Protected by the EPBC Act

This part of the report summarises other matters protected under the Act that may relate to the area you nominated. Approval may be required for a proposed activity that significantly affects the environment on Commonwealth land, when the action is outside the Commonwealth land, or the environment anywhere when the action is taken on Commonwealth land. Approval may also be required for the Commonwealth or Commonwealth agencies proposing to take an action that is likely to have a significant impact on the environment anywhere.

The EPBC Act protects the environment on Commonwealth land, the environment from the actions taken on Commonwealth land, and the environment from actions taken by Commonwealth agencies. As heritage values of a place are part of the 'environment', these aspects of the EPBC Act protect the Commonwealth Heritage values of a Commonwealth Heritage place and the heritage values of a place on the Register of the National Estate. Information on the new heritage laws can be found at <http://www.environment.gov.au/heritage/index.html>

Please note that the current dataset on Commonwealth land is not complete. Further information on Commonwealth land would need to be obtained from relevant sources including Commonwealth agencies, local agencies, and land tenure maps.

A permit may be required for activities in or on a Commonwealth area that may affect a member of a listed threatened species or ecological community, a member of a listed migratory species, whales and other cetaceans, or a member of a listed marine species. Information on EPBC Act permit requirements and application forms can be found at <http://www.environment.gov.au/epbc/permits/index.html>.

<a href="#">Commonwealth Lands:</a>	1
<a href="#">Commonwealth Heritage Places:</a>	None
<a href="#">Listed Marine Species:</a>	8
<a href="#">Whales and Other Cetaceans:</a>	None

<a href="#">Critical Habitats:</a>	None
<a href="#">Commonwealth Reserves:</a>	None

## Report Summary for Extra Information

This part of the report provides information that may also be relevant to the area you have nominated.

<a href="#">Place on the RNE:</a>	1
<a href="#">State and Territory Reserves:</a>	None
<a href="#">Regional Forest Agreements:</a>	None
<a href="#">Invasive Species:</a>	7
<a href="#">Nationally Important Wetlands:</a>	None

## Details

### Matters of National Environmental Significance

#### Threatened Species [ [Resource Information](#) ]

Name	Status	Type of Presence
<b>MAMMALS</b>		
<a href="#">Dasyurus hallucatus</a>		
Northern Quoll [331]	Endangered	Species or species habitat likely to occur within area
<a href="#">Macrotis lagotis</a>		
Greater Bilby [282]	Vulnerable	Species or species habitat likely to occur within area
<a href="#">Rhinonicteris aurantia (Pilbara form)</a>		
Pilbara Leaf-nosed Bat [82790]	Vulnerable	Species or species habitat likely to occur within area

#### Migratory Species [ [Resource Information](#) ]

Name	Status	Type of Presence
<b>Migratory Marine Birds</b>		
<a href="#">Apus pacificus</a>		
Fork-tailed Swift [678]		Species or species habitat may occur within area
<a href="#">Ardea alba</a>		
Great Egret, White Egret [59541]		Species or species habitat may occur within area
<a href="#">Ardea ibis</a>		
Cattle Egret [59542]		Species or species habitat may occur within area
<b>Migratory Terrestrial Species</b>		
<a href="#">Haliaeetus leucogaster</a>		
White-bellied Sea-Eagle [943]		Species or species habitat likely to occur within area
<a href="#">Hirundo rustica</a>		
Barn Swallow [662]		Species or species habitat may occur within area
<a href="#">Merops ornatus</a>		
Rainbow Bee-eater [670]		Species or species habitat may occur within area
<b>Migratory Wetlands Species</b>		
<a href="#">Ardea alba</a>		

Great Egret, White Egret [59541] <a href="#">Ardea ibis</a>	Species or species habitat may occur within area
Cattle Egret [59542] <a href="#">Charadrius veredus</a>	Species or species habitat may occur within area
Oriental Plover, Oriental Dotterel [882] <a href="#">Glareola maldivarum</a>	Species or species habitat may occur within area
Oriental Pratincole [840]	Species or species habitat may occur within area

## Other Matters Protected by the EPBC Act

### Commonwealth Lands [ [Resource Information](#) ]

The Commonwealth area listed below may indicate the presence of Commonwealth land in this vicinity. Due to the unreliability of the data source, all proposals should be checked as to whether it impacts on a Commonwealth area, before making a definitive decision. Contact the State or Territory government land department for further information.

Commonwealth Land -

### Listed Marine Species [ [Resource Information](#) ]

Name	Status	Type of Presence
<b>Birds</b>		
<a href="#">Apus pacificus</a>		
Fork-tailed Swift [678] <a href="#">Ardea alba</a>		Species or species habitat may occur within area
Great Egret, White Egret [59541] <a href="#">Ardea ibis</a>		Species or species habitat may occur within area
Cattle Egret [59542] <a href="#">Charadrius veredus</a>		Species or species habitat may occur within area
Oriental Plover, Oriental Dotterel [882] <a href="#">Glareola maldivarum</a>		Species or species habitat may occur within area
Oriental Pratincole [840] <a href="#">Haliaeetus leucogaster</a>		Species or species habitat may occur within area
White-bellied Sea-Eagle [943]  <a href="#">Hirundo rustica</a>		Species or species habitat likely to occur within area
Barn Swallow [662] <a href="#">Merops ornatus</a>		Species or species habitat may occur within area
Rainbow Bee-eater [670]		Species or species habitat may occur within area

## Extra Information

### Places on the RNE [ [Resource Information](#) ]

Note that not all Indigenous sites may be listed.

Name	Status
<b>Natural</b>	
<a href="#">Coastal Margin Cape Preston to Cape Keraudren</a>	Indicative Place
<a href="#">WA</a>	

### Invasive Species [ [Resource Information](#) ]

Weeds reported here are the 20 species of national significance (WoNS), along with other introduced plants that are considered by the States and Territories to pose a particularly significant threat to



biodiversity. The following feral animals are reported: Goat, Red Fox, Cat, Rabbit, Pig, Water Buffalo and Cane Toad. Maps from Landscape Health Project, National Land and Water Resources Audit, 2001.

Name	Status	Type of Presence
<b>Mammals</b>		
<a href="#"><u>Felis catus</u></a>		
Cat, House Cat, Domestic Cat [19]		Species or species habitat likely to occur within area
<a href="#"><u>Oryctolagus cuniculus</u></a>		
Rabbit, European Rabbit [128]		Species or species habitat likely to occur within area
<a href="#"><u>Vulpes vulpes</u></a>		
Red Fox, Fox [18]		Species or species habitat may occur within area
<b>Plants</b>		
<a href="#"><u>Cenchrus ciliaris</u></a>		
Buffel-grass, Black Buffel-grass [20213]		Species or species habitat likely to occur within area
<a href="#"><u>Parkinsonia aculeata</u></a>		
Parkinsonia, Jerusalem Thorn, Jelly Bean Tree, Horse Bean [12301]		Species or species habitat may occur within area
<a href="#"><u>Prosopis spp.</u></a>		
Mesquite, Algaroba [68407]		Species or species habitat likely to occur within area
<a href="#"><u>Salvinia molesta</u></a>		
Salvinia, Giant Salvinia, Aquarium Watermoss, Kariba Weed [13665]		Species or species habitat may occur within area

## Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

This report is designed to assist in identifying the locations of places which may be relevant in determining obligations under the Environment Protection and Biodiversity Conservation Act 1999. It holds mapped locations of World Heritage and Register of National Estate properties, Wetlands of International Importance, Commonwealth and State/Territory reserves, listed threatened, migratory and marine species and listed threatened ecological communities. Mapping of Commonwealth land is not complete at this stage. Maps have been collated from a range of sources at various resolutions.

Not all species listed under the EPBC Act have been mapped (see below) and therefore a report is a general guide only. Where available data supports mapping, the type of presence that can be determined from the data is indicated in general terms. People using this information in making a referral may need to consider the qualifications below and may need to seek and consider other information sources.

For threatened ecological communities where the distribution is well known, maps are derived from recovery plans, State vegetation maps, remote sensing imagery and other sources. Where threatened ecological community distributions are less well known, existing vegetation maps and point location data are used to produce indicative distribution maps.

For species where the distributions are well known, maps are digitised from sources such as recovery plans and detailed habitat studies. Where appropriate, core breeding, foraging and roosting areas are indicated under 'type of presence'. For species whose distributions are less well known, point locations are collated from government wildlife authorities, museums, and non-government organisations; bioclimatic

distribution models are generated and these validated by experts. In some cases, the distribution maps are based solely on expert knowledge.

Only selected species covered by the following provisions of the EPBC Act have been mapped:

- migratory and
- marine

The following species and ecological communities have not been mapped and do not appear in reports produced from this database:

- threatened species listed as extinct or considered as vagrants
- some species and ecological communities that have only recently been listed
- some terrestrial species that overfly the Commonwealth marine area
- migratory species that are very widespread, vagrant, or only occur in small numbers.

The following groups have been mapped, but may not cover the complete distribution of the species:

- non-threatened seabirds which have only been mapped for recorded breeding sites;
- seals which have only been mapped for breeding sites near the Australian continent.

Such breeding sites may be important for the protection of the Commonwealth Marine environment.

## Coordinates

-20.40724 118.53022,-20.40724 118.56159,-20.44105 118.56159,-20.44105 118.53022,-20.40724 118.53022

## Acknowledgements

This database has been compiled from a range of data sources. The department acknowledges the following custodians who have contributed valuable data and advice:

- [-Department of Environment, Climate Change and Water, New South Wales](#)
- [-Department of Sustainability and Environment, Victoria](#)
- [-Department of Primary Industries, Parks, Water and Environment, Tasmania](#)
- [-Department of Environment and Natural Resources, South Australia](#)
- [-Parks and Wildlife Service NT, NT Dept of Natural Resources, Environment and the Arts](#)
- [-Environmental and Resource Management, Queensland](#)
- [-Department of Environment and Conservation, Western Australia](#)
- [-Department of the Environment, Climate Change, Energy and Water](#)
- [-Birds Australia](#)
- [-Australian Bird and Bat Banding Scheme](#)
- [-Australian National Wildlife Collection](#)
- Natural history museums of Australia
- [-Museum Victoria](#)
- [-Australian Museum](#)
- [-SA Museum](#)
- [-Queensland Museum](#)
- [-Online Zoological Collections of Australian Museums](#)
- [-Queensland Herbarium](#)
- [-National Herbarium of NSW](#)
- [-Royal Botanic Gardens and National Herbarium of Victoria](#)
- [-Tasmanian Herbarium](#)
- [-State Herbarium of South Australia](#)
- [-Northern Territory Herbarium](#)
- [-Western Australian Herbarium](#)
- [-Australian National Herbarium, Atherton and Canberra](#)

- [-University of New England](#)
- [-Ocean Biogeographic Information System](#)
- [-Australian Government, Department of Defence](#)
- [-State Forests of NSW](#)
- Other groups and individuals

The Department is extremely grateful to the many organisations and individuals who provided expert advice and information on numerous draft distributions.

Please feel free to provide feedback via the [Contact Us](#) page.

[Accessibility](#) | [Disclaimer](#) | [Privacy](#) | [© Commonwealth of Australia](#) | [Help](#)

Last updated: Thursday, 16-Sep-2010 09:13:25 EST

[Department of Sustainability, Environment, Water, Population and Communities](#)

GPO Box 787

Canberra ACT 2601 Australia

+61 2 6274 1111 [ABN](#)

| [Australian Government](#) |

# NatureMap Species Report

Created By Guest user on 04/05/2012

**Current Names Only** Yes  
**Core Datasets Only** Yes  
**Method** 'By Circle'  
**Centre** 118°32' 17" E,20°25' 23" S  
**Buffer** 20km

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
1.	4895 <i>Abutilon lepidum</i>			
2.	4898 <i>Abutilon macrum</i>			
3.	4901 <i>Abutilon otocarpum</i> (Desert Chinese Lantern)			
4.	16917 <i>Abutilon pritzelianum</i>		P1	
5.	3198 <i>Acacia acradenia</i>			
6.	3214 <i>Acacia ancistrocarpa</i> (Fitzroy Wattle)			
7.	3241 <i>Acacia bivenosa</i>			
8.	17013 <i>Acacia colei</i> var. <i>colei</i>			
9.	3377 <i>Acacia inaequilatera</i> (Baderi)			
10.	3434 <i>Acacia maitlandii</i> (Maitland's Wattle)			
11.	29015 <i>Acacia pyrifolia</i> var. <i>pyrifolia</i>			
12.	30071 <i>Acacia robeorum</i>			
13.	15203 <i>Acacia sabulosa</i>			
14.	13078 <i>Acacia sclerosperma</i> subsp. <i>sclerosperma</i>			
15.	3551 <i>Acacia sphaerostachya</i>			
16.	19456 <i>Acacia stellaticeps</i>			
17.	13070 <i>Acacia synchronicia</i>			
18.	3579 <i>Acacia trachycarpa</i> (Minni Ritchi)			
19.	20319 <i>Acacia tumida</i> var. <i>pilbarensis</i>			
20.	25243 <i>Acanthophis pyrrhus</i> (Desert Death Adder)			
21.	26441 <i>Acanthophora spicifera</i>			
22.	25535 <i>Accipiter cirrocephalus</i> (Collared Sparrowhawk)			
23.	25536 <i>Accipiter fasciatus</i> (Brown Goshawk)			
24.	7817 <i>Actinobole uliginosum</i> (Flannel Cudweed)			
25.	4583 <i>Adriana tomentosa</i>			
26.	17422 <i>Adriana tomentosa</i> var. <i>tomentosa</i>			
27.	2646 <i>Aerva javanica</i> (Kapok Bush)	Y		
28.	3609 <i>Albizia lebbbeck</i>			
29.	17147 <i>Alysicarpus muelleri</i>			
30.	30833 <i>Amphibolurus longirostris</i>			
31.	2383 <i>Amyema preissii</i> (Wireleaf Mistletoe)			
32.	35872 <i>Anadyomene plicata</i>			
33.	24312 <i>Anas gracilis</i> (Grey Teal)			
34.	24316 <i>Anas superciliosa</i> (Pacific Black Duck)			
35.	17651 <i>Andropogon gayanus</i>	Y		
36.	25318 <i>Antaresia perthensis</i> (Pygmy Python)			
37.	25241 <i>Antaresia stimsoni</i> subsp. <i>stimsoni</i>			
38.	24087 <i>Antechinomys laniger</i> (Kultarr)			
39.	25557 <i>Ardea garzetta</i> (Little Egret)			
40.	25559 <i>Ardea intermedia</i> (Intermediate Egret)			
41.	24341 <i>Ardea pacifica</i> (White-necked Heron)			
42.	24610 <i>Ardeotis australis</i> (Australian Bustard)		P4	
43.	25736 <i>Arenaria interpres</i> (Ruddy Turnstone)			
44.	24778 <i>Arenaria interpres</i> subsp. <i>interpres</i>			
45.	17797 <i>Argemone ochroleuca</i> subsp. <i>ochroleuca</i>	Y		
46.	12063 <i>Aristida holathera</i> var. <i>holathera</i>			
47.	211 <i>Aristida hygrometrica</i> (Northern Kerosene Grass)			
48.	25566 <i>Artamus cinereus</i> (Black-faced Woodswallow)			
49.	24352 <i>Artamus cinereus</i> subsp. <i>melanops</i>			
50.	25567 <i>Artamus leucorhynchus</i> (White-breasted Woodswallow)			
51.	24356 <i>Artamus personatus</i> (Masked Woodswallow)			
52.	26486 <i>Asparagopsis taxiformis</i>			
53.	25320 <i>Aspidites melanocephalus</i> (Black-headed Python)			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
54.	25236 <i>Aspidites ramsayi</i> (Woma)		S	
55.	2476 <i>Atriplex semilunaris</i> (Annual Saltbush)			
56.	6828 <i>Avicennia marina</i> (White Mangrove)			
57.	14555 <i>Avicennia marina</i> subsp. <i>marina</i>			
58.	24318 <i>Aythya australis</i> (Hardhead)			
59.	2770 <i>Boerhavia coccinea</i> (Tar Vine)			
60.	6605 <i>Bonamia linearis</i>			
61.	6606 <i>Bonamia media</i>			
62.	6609 <i>Bonamia rosea</i> (Feltly Bellflower)			
63.	240 <i>Bothriochloa ewartiana</i> (Desert Bluegrass)			
64.	5291 <i>Bruguiera exaristata</i> (Ribbed Mangrove)			
65.	750 <i>Bulbostylis barbata</i>			
66.	25716 <i>Cacatua sanguinea</i> (Little Corella)			
67.	11055 <i>Cajanus cinereus</i>			
68.	10972 <i>Cajanus marmoratus</i>			
69.	11150 <i>Cajanus pubescens</i>			
70.	40825 <i>Calandrinia pentavalvis</i>			
71.	2866 <i>Calandrinia quadrivalvis</i>			
72.	2870 <i>Calandrinia stagnensis</i>			
73.	24779 <i>Calidris acuminata</i> (Sharp-tailed Sandpiper)			
74.	24780 <i>Calidris alba</i> (Sanderling)			
75.	25738 <i>Calidris canutus</i> (Red Knot)			
76.	24784 <i>Calidris ferruginea</i> (Curlew Sandpiper)			
77.	24788 <i>Calidris ruficollis</i> (Red-necked Stint)			
78.	24790 <i>Calidris tenuirostris</i> (Great Knot)			
79.	7903 <i>Calotis hispidula</i> (Bindy Eye)			
80.	3749 <i>Canavalia rosea</i> (Wild Jack Bean)			
81.	25454 <i>Canis lupus</i>			
82.	24039 <i>Canis lupus</i> subsp. <i>dingo</i> (Dingo)			
83.	30883 <i>Canis lupus</i> subsp. <i>familiaris</i> (Dog)			
84.	11670 <i>Capparis spinosa</i> var. <i>nummularia</i> (Coastal Caper)			
85.	6567 <i>Carissa lanceolata</i> (Conkerberry)			
86.	25015 <i>Carlia munda</i>			
87.	26554 <i>Caulerpa brachypus</i>			
88.	26568 <i>Caulerpa lentillifera</i>			
89.	26572 <i>Caulerpa peltata</i>			
90.	27386 <i>Caulerpa racemosa</i> var. <i>lamourouxii</i>			
91.	26577 <i>Caulerpa sertularioides</i>			
92.	258 <i>Cenchrus ciliaris</i> (Buffel Grass)	Y		
93.	29721 <i>Cenchrus setiger</i> (Birdwood Grass)	Y		
94.	39680 <i>Ceriops australis</i>			
95.	24181 <i>Chaerephon jobensis</i> (Northern Freetail-bat)			
96.	25575 <i>Charadrius leschenaultii</i> (Greater Sand Plover)			
97.	24373 <i>Charadrius melanops</i> (Black-fronted Dotterel)			
98.	25576 <i>Charadrius mongolus</i> (Lesser Sand Plover)			
99.	24377 <i>Charadrius ruficapillus</i> (Red-capped Plover)			
100.	25336 <i>Chelonia mydas</i> (Green Turtle)		T	
101.	266 <i>Chloris barbata</i> (Purpletop Chloris)	Y		
102.	272 <i>Chloris virgata</i> (Feathertop Rhodes Grass)	Y		
103.	12612 <i>Chrysocephalum apiculatum</i>			
104.	273 <i>Chrysopogon fallax</i> (Golden Beard Grass)			
105.	24833 <i>Cincloramphus cruralis</i> (Brown Songlark)			
106.	24834 <i>Cincloramphus mathewsi</i> (Rufous Songlark)			
107.	24288 <i>Circus approximans</i> (Swamp Harrier)			
108.	24289 <i>Circus assimilis</i> (Spotted Harrier)			
109.	7370 <i>Citrullus lanatus</i> (Pie Melon)	Y		
110.	24774 <i>Cladorhynchus leucocephalus</i> (Banded Stilt)			
111.	29101 <i>Cleome uncifera</i> subsp. <i>uncifera</i>			
112.	2988 <i>Cleome viscosa</i> (Tickweed)			
113.	25582 <i>Climacteris melanura</i> (Black-tailed Treecreeper)			
114.	3769 <i>Clitoria ternatea</i>	Y		
115.	15036 <i>Coccinia grandis</i>	Y		
116.	2778 <i>Codonocarpus cotinifolius</i> (Native Poplar)			
117.	25675 <i>Colluricincla harmonica</i> (Grey Shrike-thrush)			
118.	26694 <i>Colpomenia sinuosa</i>			
119.	24399 <i>Columba livia</i> (Domestic Pigeon)			
120.	7939 <i>Conyza bonariensis</i> (Flaxleaf Fleabane)	Y		
121.	25568 <i>Coracina novaehollandiae</i> (Black-faced Cuckoo-shrike)			
122.	18410 <i>Corchorus carmarvonensis</i>			
123.	4857 <i>Corchorus elachocarpus</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
124.	17339 <i>Corchorus incanus</i>			
125.	25847 <i>Corchorus incanus</i> subsp. <i>incanus</i>			
126.	4867 <i>Corchorus walcottii</i> (Woolly Corchorus)			
127.	24416 <i>Corvus bennetti</i> (Little Crow)			
128.	25593 <i>Corvus orru</i> (Torresian Crow)			
129.	24418 <i>Corvus orru</i> subsp. <i>ceciliae</i> (Western Crow)			
130.	17073 <i>Corymbia aspera</i>			
131.	16783 <i>Corymbia candida</i>			
132.	16781 <i>Corymbia candida</i> subsp. <i>lautifolia</i>			
133.	14650 <i>Corymbia flavescens</i>			
134.	17093 <i>Corymbia hamersleyana</i>			
135.	17084 <i>Corymbia zygophylla</i>			
136.	1285 <i>Corynotheca micrantha</i> (Sand Lily)			
137.	1286 <i>Corynotheca pungens</i>			
138.	25701 <i>Coturnix ypsilophora</i> (Brown Quail)			
139.	24420 <i>Cracticus nigrogularis</i> (Pied Butcherbird)			
140.	3774 <i>Crotalaria cunninghamii</i> (Green Birdflower)			
141.	19378 <i>Crotalaria dissitiflora</i> subsp. <i>benthamiana</i>			
142.	30893 <i>Cryptoblepharus buchananii</i>			
143.	24865 <i>Ctenophorus caudicinctus</i> subsp. <i>caudicinctus</i>			
144.	25459 <i>Ctenophorus isolepis</i> (Crested Dragon)			
145.	24876 <i>Ctenophorus isolepis</i> subsp. <i>isolepis</i>			
146.	24882 <i>Ctenophorus nuchalis</i> (Central Netted Dragon)			
147.	24886 <i>Ctenophorus reticulatus</i> (Western Netted Dragon)			
148.	25036 <i>Ctenotus duricola</i>			
149.	25462 <i>Ctenotus grandis</i>			
150.	25044 <i>Ctenotus hanloni</i>			
151.	25045 <i>Ctenotus helenae</i>			
152.	25463 <i>Ctenotus pantherinus</i> (Leopard Ctenotus)			
153.	25064 <i>Ctenotus pantherinus</i> subsp. <i>ocellifer</i>			
154.	25069 <i>Ctenotus rufescens</i>			
155.	25073 <i>Ctenotus saxatilis</i> (Rock Ctenotus)			
156.	25077 <i>Ctenotus serventyi</i>			
157.	33031 <i>Cucumis maderaspatanus</i>			
158.	17439 <i>Cullen lachnostachys</i>			
159.	17118 <i>Cullen leucanthum</i>			
160.	17116 <i>Cullen martinii</i>			
161.	15714 <i>Cullen stipulaceum</i>			
162.	19063 <i>Cyanthillium cinereum</i>			
163.	25371 <i>Cyclorana australis</i> (Giant Frog)			
164.	25375 <i>Cyclorana maini</i> (Sheep Frog)			
165.	24322 <i>Cygnus atratus</i> (Black Swan)			
166.	280 <i>Cymbopogon bombycinus</i> (Silky Oilgrass)			
167.	777 <i>Cyperus bulbosus</i> (Bush Onion)			
168.	806 <i>Cyperus polystachyos</i> (Bunchy Sedge)	Y		
169.	25547 <i>Dacelo leachii</i> (Blue-winged Kookaburra)			
170.	288 <i>Dactyloctenium aegyptium</i> (Coast Button Grass)	Y		
171.	290 <i>Dactyloctenium radulans</i> (Button Grass)			
172.	30903 <i>Dasyercus blythi</i> (Brush-tailed Mulgara)		P4	
173.	24089 <i>Dasyercus cristicauda</i> (Crest-tailed Mulgara)		T	
174.	24091 <i>Dasykaluta rosamondae</i> (Little Red Kaluta)			
175.	24093 <i>Dasyurus hallucatus</i> (Northern Quoll)		T	
176.	38301 <i>Davenportia davenportii</i>			
177.	25000 <i>Delma haroldi</i>			
178.	25002 <i>Delma pax</i>			
179.	25004 <i>Delma tincta</i>			
180.	25468 <i>Demansia psammophis</i> (Yellow-faced Whipsnake)			
181.	25297 <i>Demansia rufescens</i> (Rufous Whipsnake)			
182.	24325 <i>Dendrocygna eytoni</i> (Plumed Whistling Duck)			
183.	7317 <i>Dentella asperata</i>			
184.	3853 <i>Desmodium filiforme</i>			
185.	19333 <i>Desmodium scorpiurus</i>	Y		
186.	29615 <i>Dichotomaria obtusata</i>			
187.	26764 <i>Dictyopteris australis</i>			
188.	26769 <i>Dictyosphaeria cavernosa</i>			
189.	26775 <i>Dictyota ciliolata</i>			
190.	311 <i>Digitaria ciliaris</i> (Summer Grass)	Y		
191.	24926 <i>Diplodactylus conspicillatus</i> (Fat-tailed Gecko)			
192.	24900 <i>Diporiphora winneckeii</i> (Blue-lined Dragon)			
193.	2499 <i>Dissocarpus paradoxus</i> (Curious Saltbush)			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
194.	4759 <i>Dodonaea coriacea</i>			
195.	7115 <i>Dolichandrone heterophylla</i> (Lemonwood)			
196.	24084 <i>Dugong dugon</i> (Dugong)		S	
197.	2504 <i>Dysphania plantaginella</i>			
198.	11890 <i>Dysphania rhadinostachya</i> subsp. <i>rhadinostachya</i>			
199.	24631 <i>Emblema pictum</i> (Painted Finch)			
200.	12064 <i>Enchylaena tomentosa</i> var. <i>tomentosa</i> (Barrier Saltbush)			
201.	360 <i>Enneapogon lindleyanus</i> (Wiry Nineawn)			
202.	365 <i>Enneapogon polyphyllus</i> (Leafy Nineawn)			
203.	12749 <i>Enneapogon purpurascens</i> (Purple Nineawn)			
204.	368 <i>Enteropogon ramosus</i> (Windmill Grass)			
205.	24653 <i>Eopsaltria pulverulenta</i> (Mangrove Robin)			
206.	25578 <i>Ephippiorhynchus asiaticus</i> (Black-necked Stork)			
207.	375 <i>Eragrostis cumingii</i> (Cuming's Love Grass)			
208.	378 <i>Eragrostis dielsii</i> (Mallee Lovegrass)			
209.	380 <i>Eragrostis eriopoda</i> (Woollybutt Grass)			
210.	381 <i>Eragrostis falcata</i> (Sickle Lovegrass)			
211.	395 <i>Eragrostis speciosa</i> (Handsome Lovegrass)			
212.	25108 <i>Eremiascincus fasciolatus</i> (Narrow-banded Sand Swimmer)			
213.	7192 <i>Eremophila cuneifolia</i> (Pinyuru)			
214.	400 <i>Eriachne aristidea</i>			
215.	410 <i>Eriachne glauca</i> (Pan Wandarrie Grass)			
216.	411 <i>Eriachne helmsii</i> (Buck Wandarrie Grass)			
217.	414 <i>Eriachne obtusa</i> (Northern Wandarrie Grass)			
218.	417 <i>Eriachne pulchella</i> (Pretty Wandarrie)			
219.	24379 <i>Erythronys cinctus</i> (Red-kneed Dotterel)			
220.	35343 <i>Eucalyptus camaldulensis</i> subsp. <i>refulgens</i>			
221.	14548 <i>Eucalyptus victrix</i>			
222.	11011 <i>Eulalia aurea</i>			
223.	4617 <i>Euphorbia australis</i> (Namana)			
224.	4619 <i>Euphorbia biconvexa</i>			
225.	4634 <i>Euphorbia mitchelliana</i>			
226.	4635 <i>Euphorbia myrtoides</i>			
227.	12097 <i>Euphorbia tannensis</i> subsp. <i>eremophila</i> (Desert Spurge)			
228.	24368 <i>Eurostopodus argus</i> (Spotted Nightjar)			
229.	11200 <i>Evolvulus alsinoides</i> var. <i>villosicalyx</i>			
230.	25621 <i>Falco berigora</i> (Brown Falcon)			
231.	25622 <i>Falco cenchroides</i> (Australian Kestrel)			
232.	25623 <i>Falco longipennis</i> (Australian Hobby)			
233.	24041 <i>Felis catus</i> (Cat)			
234.	31578 <i>Ficus aculeata</i> var. <i>indecora</i> (Ranji)			
235.	19648 <i>Ficus brachypoda</i>			
236.	35558 <i>Flaveria trinervia</i> (Speedy Weed)	Y		
237.	25327 <i>Fordonia leucobalia</i> (White-bellied Mangrove Snake)			
238.	5188 <i>Frankenia ambita</i>			
239.	25727 <i>Fulica atra</i> (Eurasian Coot)			
240.	25301 <i>Furina ornata</i> (Moon Snake)			
241.	26835 <i>Galaxaura rugosa</i>			
242.	24793 <i>Gallinago stenura</i> (Pin-tailed Snipe)			
243.	24765 <i>Gallirallus philippensis</i> subsp. <i>mellori</i>			
244.	24956 <i>Gehyra pilbara</i>			
245.	24958 <i>Gehyra punctata</i>			
246.	24957 <i>Gehyra purpurascens</i>			
247.	24959 <i>Gehyra variegata</i>			
248.	26842 <i>Gelidiella acerosa</i>			
249.	24401 <i>Geopelia cuneata</i> (Diamond Dove)			
250.	24402 <i>Geopelia humeralis</i> (Bar-shouldered Dove)			
251.	25585 <i>Geopelia striata</i> (Peaceful Dove)			
252.	24404 <i>Geophaps plumifera</i> (Spinifex Pigeon)			
253.	24276 <i>Gerygone tenebrosa</i> (Dusky Gerygone)			
254.	24481 <i>Glareola maldivarum</i> (Oriental Pratincole)			
255.	18363 <i>Gomphrena canescens</i> subsp. <i>canescens</i>			
256.	2677 <i>Gomphrena celosioides</i> (Gomphrena Weed)	Y		
257.	2680 <i>Gomphrena cunninghamii</i>			
258.	2686 <i>Gomphrena pusilla</i>		P2	
259.	7490 <i>Goodenia armitiana</i>			
260.	7509 <i>Goodenia forrestii</i>			
261.	7526 <i>Goodenia microptera</i>			
262.	7530 <i>Goodenia nuda</i>		P4	
263.	10982 <i>Goodenia stobbsiana</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
264.	4910 <i>Gossypium australe</i> (Native Cotton)			
265.	4913 <i>Gossypium hirsutum</i> (Upland Cotton)	Y		
266.	24443 <i>Grallina cyanoleuca</i> (Magpie-lark)			
267.	2079 <i>Grevillea pyramidalis</i> (Caustic Bush)			
268.	12832 <i>Gymnanthera cunninghamii</i>		P3	
269.	25627 <i>Haematopus fuliginosus</i> (Sooty Oystercatcher)			
270.	24487 <i>Haematopus longirostris</i> (Pied Oystercatcher)			
271.	24293 <i>Haliaeetus leucogaster</i> (White-bellied Sea-Eagle)			
272.	25541 <i>Haliastur indus</i> (Brahminy Kite)			
273.	24295 <i>Haliastur sphenurus</i> (Whistling Kite)			
274.	131 <i>Halodule uninervis</i>			
275.	6174 <i>Haloragis gossei</i>			
276.	29594 <i>Helichrysum luteoalbum</i> (Jersey Cudweed)			
277.	6705 <i>Heliotropium crispatum</i>			
278.	6706 <i>Heliotropium cunninghamii</i>			
279.	10891 <i>Heliotropium muticum</i>		P1	
280.	17309 <i>Heliotropium pachyphyllum</i>			
281.	2688 <i>Hemichroa diandra</i>			
282.	25232 <i>Hemidactylus frenatus</i> (Asian House Gecko)			
283.	24961 <i>Heteronotia binoei</i> (Bynoe's Gecko)			
284.	26930 <i>Heterosiphonia crassipes</i>			
285.	29317 <i>Hibiscus austrinus</i> var. <i>austrinus</i>			
286.	4922 <i>Hibiscus brachychlaenus</i>			
287.	4930 <i>Hibiscus goldsworthii</i>			
288.	4933 <i>Hibiscus leptocladus</i>			
289.	25734 <i>Himantopus himantopus</i> (Black-winged Stilt)			
290.	24489 <i>Hirundo ariel</i> (Fairy Martin)			
291.	24491 <i>Hirundo neoxena</i> (Welcome Swallow)			
292.	25629 <i>Hirundo nigricans</i> (Tree Martin)			
293.	25630 <i>Hirundo rustica</i> (Barn Swallow)			
294.	26946 <i>Hormophysa cuneiformis</i>			
295.	5215 <i>Hybanthus aurantiacus</i>			
296.	25363 <i>Hydrelaps darwiniensis</i>			
297.	26949 <i>Hydroclathrus clathratus</i>			
298.	25366 <i>Hydrophis elegans</i>			
299.	14587 <i>Indigastrium parviflorum</i>			
300.	3973 <i>Indigofera colutea</i> (Sticky Indigo)			
301.	3978 <i>Indigofera hirsuta</i> (Hairy Indigo)			
302.	3980 <i>Indigofera linifolia</i>			
303.	3981 <i>Indigofera linnaei</i> (Birdsville Indigo)			
304.	3982 <i>Indigofera monophylla</i>			
305.	16061 <i>Indigofera oblongifolia</i>	Y		
306.	16062 <i>Indigofera sessiliflora</i>	Y		Y
307.	3987 <i>Indigofera trita</i>			
308.	6633 <i>Ipomoea muelleri</i> (Poison Morning Glory)			
309.	6635 <i>Ipomoea pes-caprae</i>			
310.	11312 <i>Ipomoea pes-caprae</i> subsp. <i>brasiliensis</i>			
311.	6637 <i>Ipomoea polymorpha</i>			
312.	464 <i>Iseilema membranaceum</i> (Small Flinders Grass)			
313.	4656 <i>Jatropha gossypifolia</i> (Bellyache Bush)	Y		
314.	5024 <i>Keraudrenia nephrosperma</i>			
315.	19636 <i>Keraudrenia velutina</i> subsp. <i>elliptica</i>			
316.	24367 <i>Lalage tricolor</i> (White-winged Triller)			
317.	468 <i>Lamarckia aurea</i> (Goldentop)	Y		
318.	25637 <i>Larus novaehollandiae</i> (Silver Gull)			
319.	19124 <i>Leptochloa fusca</i> subsp. <i>fusca</i>			
320.	4054 <i>Leptosema anomalum</i>			
321.	25125 <i>Lerista bipes</i>			
322.	30928 <i>Lerista clara</i>			
323.	3613 <i>Leucaena leucocephala</i> (Leucaena)	Y		
324.	25005 <i>Lialis burtonis</i>			
325.	24575 <i>Lichenostomus keartlandi</i> (Grey-headed Honeyeater)			
326.	24578 <i>Lichenostomus penicillatus</i> (White-plumed Honeyeater)			
327.	24581 <i>Lichenostomus virescens</i> (Singing Honeyeater)			
328.	25661 <i>Lichmera indistincta</i> (Brown Honeyeater)			
329.	25739 <i>Limicola falcinellus</i> (Broad-billed Sandpiper)			
330.	24795 <i>Limnodromus semipalmatus</i> (Asian Dowitcher)			
331.	30932 <i>Limosa lapponica</i> (Bar-tailed Godwit)			
332.	25741 <i>Limosa limosa</i> (Black-tailed Godwit)			
333.	25392 <i>Litoria rubella</i> (Little Red Tree Frog)			



Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
334.	27043 <i>Lobophora variegata</i>			
335.	30933 <i>Lucasium stenodactylum</i>			
336.	25489 <i>Macropus robustus</i> (Euro)			
337.	24135 <i>Macropus robustus</i> subsp. <i>erubescens</i> (Euro)			
338.	24136 <i>Macropus rufus</i> (Red Kangaroo)			
339.	24168 <i>Macrotis lagotis</i> (Bilby)		T	
340.	24326 <i>Malacorhynchus membranaceus</i> (Pink-eared Duck)			
341.	25651 <i>Malurus lamberti</i> (Variegated Fairy-wren)			
342.	25652 <i>Malurus leucopterus</i> (White-winged Fairy-wren)			
343.	24583 <i>Manorina flavigula</i> (Yellow-throated Miner)			
344.	5875 <i>Melaleuca argentea</i> (Silver Cadjeput)			
345.	5923 <i>Melaleuca lasiandra</i>			
346.	5051 <i>Melhania oblongifolia</i>			
347.	24736 <i>Melopsittacus undulatus</i> (Budgerigar)			
348.	25184 <i>Menetia greyii</i>			
349.	24598 <i>Merops ornatus</i> (Rainbow Bee-eater)			
350.	25542 <i>Milvus migrans</i> (Black Kite)			
351.	25545 <i>Mirafra javanica</i> (Horsfield's Bushlark)			
352.	2842 <i>Mollugo cerviana</i>			
353.	29851 <i>Mollugo molluginea</i>			
354.	25495 <i>Morethia ruficauda</i>			
355.	34148 <i>Mormopterus loriae</i> subsp. <i>cobourgiana</i> (Little North-western Mastiff Bat)		P1	
356.	24602 <i>Motacilla flava</i> subsp. <i>simillima</i>			Y
357.	6490 <i>Muellerolimon salicorniaceum</i>			
358.	24223 <i>Mus musculus</i> (House Mouse)			
359.	17158 <i>Myoporum montanum</i> (Native Myrtle)			
360.	25344 <i>Natator depressus</i> (Flatback Turtle)		T	
361.	2573 <i>Neobassia astrocarpa</i>			
362.	25422 <i>Neobatrachus aquilonius</i> (Northern Burrowing Frog)			
363.	25427 <i>Neobatrachus sutor</i> (Shoemaker Frog)			
364.	27099 <i>Neomeris van-bosseae</i>			
365.	25497 <i>Nephrurus levis</i>			
366.	24969 <i>Nephrurus levis</i> subsp. <i>pilbarensis</i>			
367.	3614 <i>Neptunia dimorphantha</i> (Sensitive Plant)			
368.	6971 <i>Nicotiana benthamiana</i> (Tjuntiwari)			
369.	11856 <i>Nicotiana occidentalis</i> subsp. <i>occidentalis</i>			
370.	24095 <i>Ningai timealeyi</i> (Pilbara Ningai)			
371.	25748 <i>Ninox novaeseelandiae</i> (Boobook Owl)			
372.	25430 <i>Notaden nicholli</i> (Desert Spadefoot)			
373.	24224 <i>Notomys alexis</i> (Spinifex Hopping-mouse)			
374.	24798 <i>Numenius madagascariensis</i> (Eastern Curlew)		P4	
375.	24799 <i>Numenius minutus</i> (Little Curlew)			
376.	25742 <i>Numenius phaeopus</i> (Whimbrel)			
377.	25564 <i>Nycticorax caledonicus</i> (Rufous Night Heron)			
378.	24350 <i>Nycticorax caledonicus</i> subsp. <i>hilli</i>			
379.	24192 <i>Nyctophilus arnhemensis</i> (Arnhem Land Long-eared Bat)			
380.	24194 <i>Nyctophilus geoffroyi</i> (Lesser Long-eared Bat)			
381.	24742 <i>Nymphicus hollandicus</i> (Cockatiel)			
382.	24497 <i>Oceanites oceanicus</i> (Wilson's Storm Petrel)			
383.	24407 <i>Ocyphaps lophotes</i> (Crested Pigeon)			
384.	6651 <i>Operculina aequisejala</i>			
385.	30943 <i>Opisthodon spenceri</i> (Centralian Burrowing Frog)			
386.	6005 <i>Osbornia octodonta</i> (Myrtle Mangrove)			
387.	4518 <i>Owenia reticulata</i> (Native Walnut)			
388.	24620 <i>Pachycephala lanioides</i> (White-breasted Whistler)			
389.	25678 <i>Pachycephala melanura</i> (Mangrove Golden Whistler)			
390.	25543 <i>Pandion haliaetus</i> (Osprey)			
391.	503 <i>Panicum decompositum</i> (Native Millet)			
392.	24627 <i>Pardalotus rubricatus</i> (Red-browed Pardalote)			
393.	25682 <i>Pardalotus striatus</i> (Striated Pardalote)			
394.	3673 <i>Parkinsonia aculeata</i> (Parkinsonia)	Y		
395.	518 <i>Paspalidium clementii</i> (Clements Paspalidium)			
396.	529 <i>Paspalum fasciculatum</i>	Y		
397.	24642 <i>Passer montanus</i> (Eurasian Tree Sparrow)			
398.	24648 <i>Pelecanus conspicillatus</i> (Australian Pelican)			
399.	541 <i>Pennisetum setaceum</i> (Fountain Grass)	Y		
400.	3675 <i>Petalostylis labicheoides</i> (Slender Petalostylis)			
401.	24667 <i>Phalacrocorax sulcirostris</i> (Little Black Cormorant)			
402.	25699 <i>Phalacrocorax varius</i> (Pied Cormorant)			
403.	4680 <i>Phyllanthus maderaspatensis</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
404.	20652 <i>Physalis angulata</i>	Y		
405.	5230 <i>Pimelea ammodcharis</i>			
406.	19744 <i>Pittosporum angustifolium</i>			
407.	24101 <i>Planigale ingrami</i> (Long-tailed Planigale)			
408.	24842 <i>Platalea regia</i> (Royal Spoonbill)			
409.	24747 <i>Platycercus spurius</i> (Red-capped Parrot)			
410.	17816 <i>Plucheia ferdinandi-muelleri</i>			
411.	8168 <i>Plucheia rubelliflora</i>			
412.	8170 <i>Plucheia tetranthera</i>			
413.	24382 <i>Pluvialis fulva</i> (Pacific Golden Plover)			
414.	24383 <i>Pluvialis squatarola</i> (Grey Plover)			
415.	24908 <i>Pogona minor</i> subsp. <i>mitchelli</i>			
416.	24681 <i>Polioccephalus polioccephalus</i> (Hoary-headed Grebe)			
417.	2898 <i>Polycarpaea corymbosa</i>			
418.	2902 <i>Polycarpaea involucreta</i>			
419.	2903 <i>Polycarpaea longiflora</i>			
420.	6653 <i>Polymeria ambigua</i> (Morning Glory)			
421.	9232 <i>Polymeria distigma</i>		P3	
422.	25706 <i>Pomatostomus temporalis</i> (Grey-crowned Babbler)			
423.	2875 <i>Portulaca australis</i>			
424.	2884 <i>Portulaca oleracea</i> (Purslane)	Y		
425.	2886 <i>Portulaca pilosa</i> (Djanggara)			
426.	25261 <i>Pseudechis australis</i> (Mulga Snake)			
427.	24234 <i>Pseudomys delicatulus</i> (Delicate Mouse)			
428.	24237 <i>Pseudomys hermannsburgensis</i> (Sandy Inland Mouse)			
429.	24239 <i>Pseudomys nanus</i> (Western Chestnut Mouse)			
430.	25263 <i>Pseudonaja modesta</i> (Ringed Brown Snake)			
431.	25264 <i>Pseudonaja nuchalis</i> (Gwardar)			
432.	8192 <i>Pterocaulon sphacelatum</i> (Apple Bush)			
433.	24757 <i>Ptilonorhynchus maculatus</i> subsp. <i>guttatus</i> (Western Bowerbird)			
434.	11478 <i>Ptilopus appendiculatus</i> var. <i>minor</i>		P1	Y
435.	2695 <i>Ptilopus arthrolasius</i>			
436.	2696 <i>Ptilopus astrolasius</i>			
437.	2699 <i>Ptilopus axillaris</i> (Mat Mulla Mulla)			
438.	2704 <i>Ptilopus calostachyus</i> (Weeping Mulla Mulla)			
439.	11251 <i>Ptilopus divaricatus</i> var. <i>divaricatus</i>			
440.	2721 <i>Ptilopus exaltatus</i> (Tall Mulla Mulla)			
441.	2725 <i>Ptilopus fusiformis</i>			
442.	2766 <i>Ptilopus villosiflorus</i>			
443.	2768 <i>Pupalia lappacea</i>	Y		
444.	25009 <i>Pygopus nigriceps</i>			
445.	25270 <i>Ramphotyphlops ammodytes</i>			
446.	25312 <i>Ramphotyphlops braminus</i>			
447.	25277 <i>Ramphotyphlops grypus</i>			
448.	25315 <i>Ramphotyphlops pilbarensis</i>			
449.	24776 <i>Recurvirostra novaehollandiae</i> (Red-necked Avocet)			
450.	2582 <i>Rhagodia eremaea</i> (Thorny Saltbush)			
451.	25614 <i>Rhipidura leucophrys</i> (Willie Wagtail)			
452.	24457 <i>Rhipidura phasiana</i> (Mangrove Grey Fantail)			
453.	5295 <i>Rhizophora stylosa</i> (Spotted-leaved Red Mangrove)			
454.	24982 <i>Rhynchoedura ornata</i> (Beaked Gecko)			
455.	4191 <i>Rhynchosia minima</i> (Rhynchosia)			
456.	18600 <i>Salsola tragus</i> subsp. <i>grandiflora</i>			
457.	13178 <i>Scaevola amblyanthera</i> var. <i>centralis</i>			
458.	11650 <i>Sclerolaena bicornis</i> var. <i>bicornis</i> (Goathead Burr)			
459.	2616 <i>Sclerolaena glabra</i>			
460.	2617 <i>Sclerolaena hostilis</i>			
461.	27274 <i>Sebdenia flabellata</i>			
462.	12307 <i>Senna glutinosa</i> subsp. <i>glutinosa</i>			
463.	12312 <i>Senna notabilis</i>			
464.	10848 <i>Senna occidentalis</i>	Y		
465.	18445 <i>Senna stricta</i>			
466.	12319 <i>Senna venusta</i>			
467.	4196 <i>Sesbania cannabina</i> (Sesbania Pea)			
468.	4198 <i>Sesbania formosa</i> (White Dragon Tree)			
469.	606 <i>Setaria dielsii</i> (Diels' Pigeon Grass)			
470.	611 <i>Setaria sphacelata</i> (South African Pigeon Grass)	Y		
471.	4972 <i>Sida clementii</i>			
472.	4976 <i>Sida echinocarpa</i>			
473.	18149 <i>Sida rohlenae</i> subsp. <i>rohlenae</i>			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
474.	33698 <i>Sida</i> sp. <i>Pilbara</i> (A.A. Mitchell PRP 1543)			
475.	25305 <i>Simoselaps anomalus</i> (Desert Banded Snake)			
476.	30948 <i>Smicromis brevirostris</i> (Weebill)			
477.	24120 <i>Sminthopsis youngsoni</i> (Lesser Hairy-footed Dunnart)			
478.	7002 <i>Solanum diversiflorum</i>			
479.	7029 <i>Solanum phlomoides</i>			
480.	619 <i>Sorghum plumosum</i> (Plume Canegrass)			
481.	620 <i>Sorghum stipoideum</i> (Annual Sorghum)			
482.	24064 <i>Sousa chinensis</i> (Indo-Pacific Humpback Dolphin)		P4	
483.	27282 <i>Spatoglossum macrodontum</i>			
484.	625 <i>Spinifex longifolius</i> (Beach Spinifex)			
485.	628 <i>Sporobolus actinocladius</i> (Ray Grass)			
486.	12489 <i>Stemodia lathraia</i>			
487.	24523 <i>Sterna caspia</i> (Caspian Tern)			
488.	25642 <i>Sterna hirundo</i> (Common Tern)			
489.	24529 <i>Sterna leucoptera</i> (White-winged Black Tern)			
490.	27317 <i>Stoehospermum polypodioides</i>			
491.	8238 <i>Streptoglossa liatroides</i>			
492.	8239 <i>Streptoglossa macrocephala</i>			
493.	8240 <i>Streptoglossa odora</i>			
494.	24924 <i>Strophurus ciliaris</i> subsp. <i>aberrans</i>			
495.	24927 <i>Strophurus elderi</i>			
496.	24932 <i>Strophurus jeanae</i>			
497.	17445 <i>Stylidium adenophorum</i>			
498.	4212 <i>Stylosanthes guianensis</i> (Stylo)	Y		
499.	12353 <i>Stylosanthes hamata</i> (Verano Stylo)	Y		
500.	2638 <i>Suaeda arbusculooides</i>			
501.	25307 <i>Suta punctata</i> (Spotted Snake)			
502.	4242 <i>Swainsona pterostylis</i>			
503.	25902 <i>Symphytotrichum squamatum</i> (Bushy Starwort)	Y		
504.	13339 <i>Synaptantha tillaeacea</i> var. <i>tillaeacea</i>			
505.	25705 <i>Tachybaptus novaehollandiae</i> (Australasian Grebe)			
506.	24207 <i>Tachyglossus aculeatus</i> (Echidna)			
507.	30870 <i>Taeniopygia guttata</i> (Zebra Finch)			
508.	31616 <i>Tecticornia auriculata</i>			
509.	33236 <i>Tecticornia halocnemoides</i> (Shrubby Samphire)			
510.	33319 <i>Tecticornia indica</i> subsp. <i>bidens</i>			
511.	33318 <i>Tecticornia indica</i> subsp. <i>leiostachya</i> (Samphire)			
512.	33220 <i>Tecticornia pterygosperma</i> subsp. <i>denticulata</i>			
513.	4280 <i>Tephrosia rosea</i> (Flinders River Poison)			
514.	19531 <i>Tephrosia rosea</i> var. <i>clementii</i>			
515.	17789 <i>Tephrosia rosea</i> var. <i>glabrior</i>			
516.	19529 <i>Tephrosia rosea</i> var. <i>rosea</i>			
517.	19530 <i>Tephrosia rosea</i> var. <i>venulosa</i>		P1	
518.	15947 <i>Tephrosia</i> sp. <i>B Kimberley Flora</i> (C.A. Gardner 7300)			
519.	17768 <i>Tephrosia</i> sp. <i>Bungaroo Creek</i> (M.E. Trudgen 11601)			
520.	40060 <i>Tephrosia</i> sp. <i>clay soils</i> (S. van Leeuwen et al. PBS 0273)			
521.	169 <i>Thalassia hemprichii</i>			
522.	672 <i>Themeda avenacea</i> (Native Oatgrass)			
523.	2644 <i>Threlkeldia diffusa</i> (Coast Bonefruit)			
524.	24844 <i>Threskiornis molucca</i> (Australian White Ibis)			
525.	24845 <i>Threskiornis spinicollis</i> (Straw-necked Ibis)			
526.	25202 <i>Tiliqua multifasciata</i> (Central Blue-tongue)			
527.	2942 <i>Tinospora smilacina</i> (Snakevine)			
528.	25548 <i>Todiramphus chloris</i> (Collared Kingfisher)			
529.	24308 <i>Todiramphus pyrrhopygia</i> (Red-backed Kingfisher)			
530.	25549 <i>Todiramphus sanctus</i> (Sacred Kingfisher)			
531.	2825 <i>Trianthema cussackiana</i>			
532.	2830 <i>Trianthema portulacastrum</i> (Giant Pigweed)	Y		
533.	2832 <i>Trianthema triquetra</i> (Red Spinach)			
534.	2833 <i>Trianthema turgidifolia</i>			
535.	4368 <i>Tribulopsis angustifolia</i>			
536.	4380 <i>Tribulus occidentalis</i> (Perennial Caltrop)			
537.	6727 <i>Trichodesma zeylanicum</i> (Camel Bush)			
538.	12032 <i>Trichosanthes cucumerina</i> var. <i>cucumerina</i>			
539.	8252 <i>Tridax procumbens</i> (Tridax)	Y		
540.	4316 <i>Trigonella suavissima</i> (Sweet Fenugreek)			
541.	24803 <i>Tringa brevipes</i> (Grey-tailed Tattler)			
542.	24804 <i>Tringa cinerea</i> (Terek Sandpiper)			
543.	24806 <i>Tringa glareola</i> (Wood Sandpiper)			

Name ID	Species Name	Naturalised	Conservation Code	<sup>1</sup> Endemic To Query Area
544.	24808 <i>Tringa nebularia</i> (Common Greenshank)			
545.	24809 <i>Tringa stagnatilis</i> (Marsh Sandpiper)			
546.	680 <i>Tridonia basedowii</i> (Lobed Spinifex)			
547.	13131 <i>Tridonia epactia</i>			
548.	689 <i>Tridonia lanigera</i>			
549.	690 <i>Tridonia longiceps</i> (Giant Grey Spinifex)			
550.	696 <i>Tridonia pungens</i> (Soft Spinifex)			
551.	700 <i>Tridonia secunda</i>			
552.	706 <i>Triraphis mollis</i> (Needle Grass)			
553.	17317 <i>Triumfetta propinqua</i>			
554.	13481 <i>Triumfetta ramosa</i>			
555.	24851 <i>Turnix velox</i> (Little Button-quail)			
556.	30954 <i>Tursiops aduncus</i> (Indo-Pacific Bottlenose Dolphin)			
557.	24852 <i>Tyto alba</i> subsp. <i>delicatula</i> (Barn Owl)			
558.	27348 <i>Udotea argentea</i>			
559.	25439 <i>Uperoleia glandulosa</i> (Glandular Toadlet)			
560.	25445 <i>Uperoleia russelli</i> (Northwest Toadlet)			
561.	25577 <i>Vanellus miles</i> (Masked Lapwing)			
562.	25209 <i>Varanus acanthurus</i> (Spiny-tailed Monitor)			
563.	25210 <i>Varanus brevicauda</i> (Short-tailed Pygmy Monitor)			
564.	25212 <i>Varanus eremius</i> (Pygmy Desert Monitor)			
565.	25218 <i>Varanus gouldii</i> (Bungarra or Sand Monitor)			
566.	24205 <i>Vespadelus finlaysoni</i> (Finlayson's Cave Bat)			
567.	24040 <i>Vulpes vulpes</i> (Red Fox)			
568.	7393 <i>Wahlenbergia tumidifrutca</i>			
569.	5106 <i>Waltheria indica</i>			
570.	728 <i>Whiteochloa cymbiformis</i>			
571.	730 <i>Xerochloa imberbis</i> (Rice Grass)			
572.	733 <i>Yakirra majuscula</i>			
573.	24857 <i>Zosterops luteus</i> (Yellow White-eye)			

**Conservation Codes**

- T - Rare or likely to become extinct
- X - Presumed extinct
- IA - Protected under international agreement
- S - Other specially protected fauna
- 1 - Priority 1
- 2 - Priority 2
- 3 - Priority 3
- 4 - Priority 4
- 5 - Priority 5

<sup>1</sup> For NatureMap's purposes, species flagged as endemic are those whose records are wholly contained within the search area. Note that only those records complying with the search criterion are included in the calculation. For example, if you limit records to those from a specific datasource, only records from that datasource are used to determine if a species is restricted to the query area.